

Bibliography of the Sources Examined for the Opinion on Use of the Threshold of Toxicological Concern (TTC) Approach for Human Safety Assessment of Chemical Substances with focus on Cosmetics and Consumer Products

- Adachi T., Koh K.B., Tainaka H., Matsuno Y., Ono Y., Sakurai K. (2004) Toxicogenomic difference between diethylstilbestrol and 17beta-estradiol in mouse testicular gene expression by neonatal exposure. *Mol Reprod Dev.* 67:T9-25
- Allanou R., Hansen B.G., van der Bilt Y. (1999) Public availability of data on EU high production volume chemicals. European Commission, Joint Research Centre, Institute for Health and Consumer Protection, European Chemicals Bureau. Report n° EUR 18996 EN
- Api AM., Basketter DA, Cadby PA, Cano MF, Ellis G, Gerberick GF, Griem P, McNamee PM, Ryan CA, Safford R (2008). Dermal sensitization quantitative risk assessment (QRA) for fragrance ingredients. *Reg Toxicol Pharmacol* 52: 3-23
- Ashby J, Tennant RW, Zeiger E Stasiewicz S (1989). Classification according to chemical structure, mutagenicity to Salmonella and level of carcinogenicity of a further 42 chemicals tested for carcinogenicity by the U.S. National Toxicology Program. *Mutation Research* 223: 73-103
- Axelrod D., Bums K., Davis D., van Larebeke N. (2004): Hormesis- an inappropriate extrapolation from the specific to the universal. *Int. J. Occup Environ Health* 10:335-339
- Ball D, Blanchard J, Jacobson-Kram D, McClellan RO, McGovern T, Norwood DL, Vogel WM, Wolff R, Nagao L (2007). Development of safety qualification thresholds and their use in orally inhaled and nasal drug product evaluation. *Toxicological Sciences* 97: 226-236
- Bando H., Mohri S., Yamashita F., Takakura Y., Hashida M. (1997) Effects of skin metabolism on percutaneous penetration of lipophilic drugs. *J Pharm Sci* 86: 759-761
- Barlow S.M. (1994). The role of the Scientific Committee for Food in evaluating plastics for packaging. *Food Additives and Contaminants* 11: 249-259
- Barlow S.M. (2005). Threshold of toxicological concern (TTC). A tool for assessing substances of unknown toxicity present at low levels in the diet, ILSI Europe Concise Monograph Series, The International Life Sciences Institute (ILSI) Europe
- Barlow S.M., Kozianowski G, Wuertzen G, Schlatter J (2001). Threshold of toxicological concern for chemical substances present in the diet. *Food and Chemical Toxicology* 39: 893-905
- Baron JM, Holler D, Schiffer R, Frankenberg S, Neis M, Merk HF, Jugert FK. Expression of multiple cytochrome p450 enzymes and multidrug resistance-associated transport proteins in human skin keratinocytes. *J Invest Dermatol* 116: 541-548
- Baron JM, Merk HF (2001). Drug metabolism in the skin. *Curr Opin Allergy Clin Immunol*: 287-291
- Bassan A, Fioravanzo E, Pavan M Stocchero M (2011). SCIENTIFIC REPORT submitted to EFSA on Applicability of physicochemical data, QSARs and read-across in Threshold of Toxicological Concern assessment. S-IN Soluzioni Informatiche, Vicenza, Italy
- Becker RA, Plunkett LM, Borzelleca JF, Kaplan AM (2007). Tiered Toxicity Testing: Evaluation of Toxicity-Based Decision Triggers for Human Health Hazard Characterization. *Food and Chemical Toxicology* 45: 2454-2469
- Benfenati E, Benigni R, Demarini DM, Helma C, Kirkland D, Martin TM, Mazzatorta P, Ouédraogo-Arras G, Richard AM, Schilter B, Schoonen WGEJ, Snyder RD, Yang, C (2009). Predictive models for carcinogenicity and mutagenicity: Frameworks, state-of-the-art, and perspectives. *J Environ Science Health, part C* 27: 57-90

- Bergström MA (2007). Bioactivation of xenobiotics in the skin. Mechanistic investigations and structure-activity relationship studies of alkene and oxime prohaptens in contact allergy. Monograph, Göteborg University
- Bergström MA, Luthman K, Nilsson LG, Karlberg A-T (2006a). Conjugated dienes as prohaptens in contact allergy: In vivo and in vitro studies of structure-activity relationships, sensitizing capacity, and metabolic activation. *Chemical Research in Toxicology* 19: 760-769
- Bergström MA, Ott H, Carlsson A, Neis M, Zwadlo-Klarwasser G, Jonsson CA, Merk HF, Karlberg AT, Baron JM (2006b). A skin-like cytochrome P450 cocktail activates prohaptens to contact allergenic metabolites. *Journal of Investigative Dermatology* 127:1145-53
- Bernauer U., Garritsen H., Heinrich-Hirsch B., Gundert-Remy U. (2003). Immunochemical analysis of Cytochrome P450 variability in human leukapheresed samples and its consequences for the risk assessment process. *Regulatory Toxicology and Pharmacology* 37: 318-327
- Bernauer, U., Heinrich-Hirsch, B., Tönnies, M., Wolski, P.-M., and Gundert-Remy, U. (2006): Characterisation of the xenobiotic-metabolizing Cytochrome P450 expression pattern in human lung tissue by immunochemical and activity determination. *Toxicology Letters* 164, 278 - 288.
- Bernauer U., Heinemeyer G, Heinrich-Hirsch B, Ulbrich B, Gundert-Remy U (2008). Exposure-triggered reproductive toxicity testing under the REACH legislation: A proposal to define significant/relevant exposure. *Toxicology Letters* 176: 68 - 76
- Bhattacharjee D. (1996) Role of radioadaptation on radiation-induced thymic lymphoma in mice. *Mutat-Res.* 358: 231-5
- Birnbaum L.S., Cohen Hubal E.A. (2006). Polybrominated Diphenyl Ethers: A Case Study for Using Biomonitoring Data to Address Risk Assessment Questions. *Environ Health Perspect* 114:1770-1775
- Bitsch A, Jacobi S, Melber C, Wahnschaffe U, Simetska N and Mangelsdorf I (2006) REPDOSE: a database on repeated dose toxicity studies of commercial chemicals - A multifunctional tool. *Re. Toxicol and Pharmacol* 46, 202-210.
- Blackburn K, Stickney JA, Carlson-Lynch SL, McGinnis PM, Chappell L, Felter SP (2005) Application of the threshold of toxic concern approach to ingredients in personal and household care products. *Regulatory Toxicology and Pharmacology* 43: 249-259
- Bitsch A, Jacobi S, Melber C, Wahnschaffe U, Simetska N, Mangelsdorf I (2006). REPDOSE: a database on repeated dose toxicity studies of commercial chemicals - A multifunctional tool. *Reg Toxicol Pharmacol* 46: 202-210
- Bjartveit K., Tverdal A. (2005) Health consequences of smoking 1-4 cigarettes per day. *Tob Control* 14: 315-20
- Blackburn K, Bjerke D, Daston G, Felter S, Mahony C, Naciff J, Robison S, Wua S (2011). Case studies to test: A framework for using structural, reactivity, metabolic and physicochemical similarity to evaluate the suitability of analogs for SAR-based toxicological assessments. *Regulatory Toxicology and Pharmacology* 60: 120-135
- Blackburn K, Stickney JA, Carlson-Lynch SL, McGinnis PM, Chappell L, Felter SP (2005). Application of the threshold of toxic concern approach to ingredients in personal and household care products. *Regulatory Toxicology and Pharmacology* 43: 249-259

- Boehnlein J, Sakr A, Lichtin JL, Bronaugh RL (1994). Characterization of esterase and alcohol dehydrogenase activity in skin. Metabolism of retinyl palmitate to retinol (Vitamin A) during percutaneous absorption. *Pharmaceutical Research* 11: 1155-1159
- Bokkers BGH, Slob W. (2007). Deriving a data-based interspecies assessment factor using the NOAEL and the Benchmark Dose Approach. *Critical Reviews in Toxicology* 37:355-373
- Bremmer H.J., Prud'homme de Lodder L.C.H., van Engelen J.G.M. (2006) Cosmetics Fact Sheet. To assess the risks for the consumer Updated version for ConsExpo 4. Centre for Substances and Integrated Risk Assessment. The Netherlands. RIVM report 320104001/2006
- Bronaugh RL (2004). Methods for in vitro skin metabolism studies. *Dermatotoxicology* 6
- Brook R.D. (2007). Is air pollution a cause of cardiovascular disease? Updated review and controversies. *Rev. Environ. Health* 22: 115-137
- Broome E.J., Brown D.L., Mitchel R.E. (2002) Dose responses for adaption to low doses of (60)Co gamma rays and (3)H beta particles in normal human fibroblasts. *Radiat Res* 158: 181-6
- Bunke D., Schneider K., Jäger I. (2005) Konkretisierungen der waiving-bedingungen im rahmen des registrierungsverfahrens nach REACH. Öko-Institut e.V.
- Buss P., Caviezel M., Lutz W.K. (1990) Linear dose-response relationship for DNA adducts in rat liver from chronic exposure to aflatoxin B₁. *Carcinogenesis* 11: 2133-5
- Calabrese E.J., Baldwin L. (2003) Toxicology rethinks its central belief. Hormesis demands a reappraisal of the way risks are assessed. *Nature* 421: 691-692
- Calafat, A.M. and McKee, R.H. (2006). Integrating Biomonitoring Exposure Data into the Risk Assessment Process: Phthalates [Diethyl Phthalate and Di(2-ethylhexyl Phthalate)] as a case study. *Environmental Health Perspectives* 114: 1783-1789.
- Carpenter D.O. (2006) Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. *Rev. Environ. Health* 21: 1-23
- Carthew P., Clapp C., Gutsell S. (2009) Exposure based waiving: The application of the toxicological threshold of concern (TTC) to inhalation exposure for aerosol ingredients in consumer products. *Food and Chemical Toxicology* 47: 1287-1295
- Castano E., Flores-Saaib R.D. (2008) A mathematical approach for the transactivation of hERalpha. *Philos Transact A Math Phys Eng Sci* 2008 Apr 11
- Castell JV, Donato MT, Gómez-Lechón MJ (2005). Metabolism and bioactivation of toxicants in the lung. The in vitro cellular approach. *Exp Toxicol Pathol* 57 Suppl 1:189-204
- Cheeseman MA, Machuga EJ, Bailey AB (1999). A tiered approach to threshold of regulation. *Food Chem Toxicol* 37: 387-412
- Cheung C, Hotchkiss SA, Pease CK (2003) Cinnamic compound metabolism in human skin and the role metabolism may play in determining relative sensitisation potency. *J Dermatol Sci* 31:9-19
- Collier SW, Storm JE, Bronaugh RL (1993). Reduction of azo dyes during in vitro percutaneous absorption. *Toxicology and Applied Pharmacology* 118: 73-79
- Collis S.J., Schwaninger J.M., Ntambi A.J., Keller T.W., Nelson W.G., Dillehay L.E., Deweese T.L. (2004) Evasion of Early Cellular Response Mechanisms following Low Level Radiation-induced DNA Damage. *Journal of Biological Chemistry* 279: 49624-32
- Cramer GM, Ford RA, Hall RA (1978). Estimation of toxic hazard - a decision tree approach. *Food Cosmet Toxicol* 16: 255-276

- CREMe (Central Risk & Exposure Modelling e-solution) (2005) European Consumer Exposure to Cosmetic Products - Data Analysis. Final Draft Report, 17th September 2005
- Csanády GA, Filser JG (2001). Toxicokinetics of inhaled and endogenous isoprene in mice, rats, and humans. *Chem Biol Interact* 1: 679-85
- De Bont R., van Larebeke N; (2004) Endogenous DNA damage in humans: a review of quantitative data. *Mutagenesis* 19: 169-185
- Dekant W, Melching-Kollmuß S, Kalberlah F (2010). Toxicity assessment strategies, data requirements, and risk assessment approaches to derive health based guidance values for non-relevant metabolites of plant protection products. *Regulatory Toxicology and Pharmacology* 56: 135-142
- Delaney EJ (2007). An impact analysis of the application of the threshold of toxicological concern concept to pharmaceuticals, *Regulatory Toxicology and Pharmacology* 49: 107-124
- Deman JH., van Larebeke N. (2001) Carcinogenesis: "Mutations and mutagens." *Tumour Biol* 22: 191-202.
- Dobo KL, Greene N, Cyr MO, Caron S, Ku WW (2006). The application of structure-based assessment to support safety and chemistry diligence to manage genotoxic impurities in active pharmaceutical ingredients during drug development. *Regulatory Toxicology and Pharmacology* 44: 282-293
- Dolan DG, Naumann BD, Sargent EV, Maier A, Dourson M (2005). Application of the threshold of toxicological concern concept to pharmaceutical manufacturing operations. *Regulatory Toxicology and Pharmacology* 43: 1-9
- Dressler WE, Appelqvist T (2006). Plasma/blood pharmacokinetics and metabolism after dermal exposure to para-aminophenol or para-phenylenediamine. *Food and Chemical Toxicology*. 44: 371-379
- Drew R, Frangos J (2007). The concentration of no toxicological concern (CoNTC): a risk assessment screening tool for air toxics. *J Toxicol Environ Health* 70: 1584-93.
- EC (2002). Commission Decision of 23 January 2002 amending Commission Decision 1999/217/EC as regards the register of flavouring substances used in or on foodstuffs. Official Journal of the European Communities. L 49/1-160, 20.2.2002. <http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2002:049:0001:0160:EN:PDF>
- ECETOC (1995). Assessment factors in human health risk assessment. In: Technical reports European Chemical Industry Ecology and Toxicology Centre. Technical Report 68, ECETOC, Brussels
- ECHA (2008). Guidance on information requirements and chemical safety assessment; Chapter R.7c: Endpoint specific guidance, European Chemicals Agency, 2008 http://reach.jrc.it/docs/guidance_document/information_requirements_r7c_en.pdf?vers=30_07_08
- ECHA (2008a). Guidance on information requirements and chemical safety assessment; Chapter R.5: Adaptation of information requirements. European Chemicals Agency, 2008 http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_r5_en.pdf?vers=20_08_08
- ECHA (2008b). Guidance on information requirements and chemical safety assessment; Chapter R.7c: Endpoint specific guidance. Appendix R.7-1 Threshold of Toxicological Concern (TTC) – a concept in toxicological and environmental risk assessment. European

Chemicals Agency, 2008.
http://echa.europa.eu/documents/10162/13632/information_requirements_r7c_en.pdf

ECHA (2010a). Guidance on information requirements and chemical safety assessment. Part B: Hazard Assessment. Chapter R.8: Characterisation of dose [concentration]-response for human health. Version 2 p 29, Table R.8-5.
http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_r8_en.pdf?vers=16_12_10

ECHA (2010b). Guidance on information requirements and chemical safety assessment. Chapter R.15: Consumer exposure estimation. Version: April 2010.
http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_r15_en.pdf?vers=20_08_08

ECHA (2011). Guidance on information requirements and chemical safety assessment Chapter R.17: Estimation of exposure from articles. Version: April 2011.
http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_r17_en.pdf?vers=20_08_08

EFSA (2004). Opinion of the Scientific Panel on food additives, flavourings, processing aids and materials in contact with food (AFC) related to Flavouring Group Evaluation 3 (FGE.03), Aliphatic acetals from chemical groups 1 and 2 of branched- and straight chain primary alcohols and aldehydes. The EFSA Journal (2004) 107
http://www.efsa.europa.eu/EFSA/Scientific_Opinion/afc_opinion_ej107_fge3_op_en,3.pdf?ssbinary=true

EFSA (2009a). Scientific Opinion of the Scientific Committee on a request from the European Commission on the Potential Risks Arising from Nanoscience and Nanotechnologies on Food and Feed Safety. The EFSA Journal (2009) 958: 1-39.
<http://www.efsa.europa.eu/en/scdocs/doc/958.pdf>

EFSA (2009b). Guidance document on the submission of a dossier on a substance to be used in Food Contact Materials for evaluation by EFSA by the Panel on additives, flavourings, processing aids and materials in contact with food (AFC). Adopted 27 November 2009

EFSA (2010). Guidance on the data required for the risk assessment of flavourings to be used in or on foods. European Food Safety Authority. The EFSA Journal 8(6): 1623. Available at: <http://www.efsa.europa.eu/en/efsajournal/doc/1623.pdf>

EMA (2006). European Medicines Agency, Committee for Medicinal Products for Human Use (CHMP) Guideline on the Limits of Genotoxic Impurities, CPMP/SWP/5199/02, EMEA/CHMP/QWP/251344/2006
http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500002903.pdf

EMA (2007). Question & Answers on the CHMP Guideline on the Limits of Genotoxic Impurities, EMEA/CHMP/SWP/431994/2007 <http://emea.europa.eu/pdfs/human/swp/43199407en.pdf>

EMA (2008a). Committee on Herbal Medicinal Products (HMPC). Guideline on the assessment of genotoxicity of herbal substances/preparations. EMEA/HMPC/107079/2007.
http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500003569.pdf

EMA (2008b). Committee on Herbal Medicinal Products (HMPC). Overview of comments received on draft Guideline on the assessment of genotoxic constituents in herbal substances / preparations. EMEA/HMPC/107079/2007. London, 21 May 2008

EMA (2010). Question & Answers on the CHMP Guideline on the Limits of Genotoxic Impurities, EMEA/CHMP/SWP/431994/2007 Rev.3,

http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500002907.pdf

- EN ISO 10993-1:2003 Biological evaluation of medical devices – Part 1 Evaluation and testing (ISO 10993-1:2003) (ISO, Geneva, Switzerland)
- EN ISO 10993-17:2002 Biological evaluation of medical devices – Part 17 Establishment of allowable limits for leachable substances (ISO 10993-17:2002) (ISO, Geneva, Switzerland)
- EN ISO 10993-18:2005 Biological evaluation of medical devices – Part 18 Chemical characterization of materials (ISO 10993-18:2005) (ISO, Geneva, Switzerland)
- EN ISO 14971:2007 Medical devices – Application of risk management to medical devices. (ISO 14971:2007) (ISO, Geneva, Switzerland 2007)
- Escher S, Bitsch A, Mangelsdorf I (2008). Use of RepDose for evaluation/refinement of the TTC-concept. Report Fraunhofer ITEM 27.06.08
- Escher SE, Tluczkiwicz I, Batke M, Bitsch A, Melber C, Kroese ED, Buist HE, Mangelsdorf I (2010). Evaluation of inhalation TTC values with the database RepDose. *Reg Toxicol Pharmacol* 58: 259–274
- FDA Draft Guidance (2008). Guidance for Industry. Genotoxic and Carcinogenic Impurities in Drug Substances and Products: Recommended Approaches. U.S. Department of Health and Human Services, Food and Drug Administration Center for Drug Evaluation and Research (CDER). Washington December 2008
- Felter S, Lane RW, Latulippe ME, Llewellyn GC, Olin SS, Scimeca JA, Thomas D, Trautman TD (2009). Refining the threshold of toxicological concern (TTC) for risk prioritization of trace chemicals in food. *Food Chem Toxicol* 47: 2236–2245
- Feron VJ, Woutersen RA, van Vliet (2006). Hazard identification of chemicals: a more efficient approach. *Chemistry Today* 24: 24-27
- Fierens S., Mairesse H., Heilier J.F., De B.C., Focant J.F., Eppe G., De P.E., Bernard A. (2003). Dioxin/polychlorinated biphenyl body burden, diabetes and endometriosis: findings in a population-based study in Belgium. *Biomarkers* 8: 529-534
- Fjodorova N, Vracko M, Tušar M, Jezierska A, Novic M, Kühne R, Schüürmann G (2010). Quantitative and qualitative models for carcinogenicity prediction for non-congeneric chemicals using CP ANN method for regulatory uses. *Mol Divers* 14: 581-94.
- Ford RA, Domeyer B, Easterday O, MaieK, Middleton J (2000). Criteria for Development of a Database for Safety Evaluation of Fragrance Ingredients. *Regulatory Toxicology and Pharmacology* 31: 166–181
- Föst U (2006) Meta-analytic derivation of a threshold for the inhalation route. Bundesanstalt für Arbeitsschutz und Arbeitsmedizin. Presentation. March 2006
- Fowden A.L., Giussani D.A., Forhead A.J. (2006) Intrauterine programming of physiological systems: causes and consequences. *Physiol* 21:29-37
- Ginsberg G, Hattis D, Sonawane B (2004). Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants. *Toxicology and Applied Pharmacology* 198: 164-183
- Giordani A, Kobel W, Gally HU (2011). Overall impact of the regulatory requirements for genotoxic impurities on the drug development process. *European Journal of Pharmaceutical Sciences* 43: 1–15

- Gluckman P.D., Hanson M.A., Beedle A.S. 2007. Early life events and their consequences for later disease: a life history and evolutionary perspective. *Am J Human Biol* 19: 1-19
- Gold L.S., Bernstein L., Kaldor J., Backman G.M., Hoel D. (1986a) An empirical comparison of methods used to estimate carcinogenic potency in long-term animal bioassays: lifetable vs summary incidence data. *Fundamental and Applied Toxicology* 6: 263-269
- Gold L.S., de Veciana M., Backman G.M., Magaw R, Lopipero P., Smith M., Blumenthal M., Levinson R., Bernstein L., Ames B.N. (1986b). Chronological supplement to the carcinogenic potency database: standardized results of animal bioassays published through December 1982. *Environmental Health Perspectives* 67:161-200
- Gold L.S., Manley N.B., Slone T.H., Backman Garfinkel G.M., Rohrbach L., Ames B.N. (1993). The fifth plot of the carcinogenic potency database: results of animal bioassays published in the general literature through 1988 and by the National Toxicology Program through 1989. *Environmental Health Perspectives* 100: 65-135
- Gold L.S., Manley N.B., Slone T.H., Garfinkel G.B., Ames B.N., Rohrbach L., Stern B.R., Chow K. (1995) Sixth Plot of the Carcinogenic Potency Database: Results of Animal Bioassays Published in the General Literature 1989-1990 and by the National Toxicology Program 1990-1993. *Environmental Health Perspectives* 103 (Suppl. 8): 3-122
- Gold L.S., Manley N.B., Slone T.H., Rohrbach L. (1999) Supplement to the Carcinogenic Potency Database (CPDB): Results of Animal Bioassays Published in the General Literature in 1993 to 1994 and by the National Toxicology Program in 1995 to 1996. *Environmental Health Perspectives* 107 (Suppl. 4): 527-600
- Gold L.S., Manley N.B., Slone T.H., Rohrbach L., Backman Garfinkel G. (2005) Supplement to the Carcinogenic Potency Database (CPDB): Results of Animal Bioassays Published in the General Literature through 1997 and by the National Toxicology Program in 1997-1998. *Toxicological Sciences* 85, 747-808
- Gold L.S., Manley N.B., Slone T.H., Ward J. (2001) Compendium of Chemical Carcinogens by Target Organ: Results of Chronic Bioassays in Rats, Mice, Hamsters, Dogs, and Monkeys. *Toxicologic Pathology* 29: 639-652
- Gold L.S., Sawyer C.B., Magaw R., Backman G.M., de Veciana M., Levinson R., Hooper N.K., Havender W.R., Bernstein L., Peto R., Pike M.C., Ames B.N. (1984) A Carcinogenic Potency Database of the standardized results of animal bioassays. *Environmental Health Perspectives* 58: 9-319
- Gold L.S., Slone T.H., Ames B.N. (1997) Overview of analyses of the Carcinogenic Potency Database. In: *Handbook of Carcinogenic Potency and Genotoxicity Databases* (L. S. Gold & E. Zeiger, eds.), Boca Raton, FL: CRC Press, 661-685
- Gold L.S., Slone T.H., Backman G.M., Eisenberg S., Da Costa M., Wong M., Manley N.B., Rohrbach L., Ames B.N. (1990). Third chronological supplement to the carcinogenic potency database: standardized results of animal bioassays published through December 1986 and by the National Toxicology Program through June 1987. *Environmental Health Perspectives* 84: 215-285
- Gold L.S., Slone T.H., Backman G.M., Magaw R., Da Costa M., Lopipero P., Blumenthal M., Ames B.N. (1987). Second chronological supplement to the carcinogenic potency database: standardized results of animal bioassays published through December 1984 and by the National Toxicology Program through May 1986. *Environmental Health Perspectives* 74: 237-329

- Grant R.L., Kadlubar B.J., Erraguntla N.K., Honeycutt M. (2007) Evaluation of acute inhalation toxicity for chemicals with limited toxicity information. *Regulatory Toxicology and Pharmacology* 47: 261–273
- Hall B, Steiling W, Safford B, Coroama M, Tozer S, Firmani C, McNamara C, Gibney M (2010). European Consumer Exposure to Cosmetic Products: A Framework for Conducting Population Exposure Assessments Part 2. *Food and Chemical Toxicology* 49: 408-422
- Hall B, Tozer S, Safford B, Coroama M, Steiling W, Leneuve-Duchemin MC, McNamara C, Gibney M (2007). European consumer exposure to cosmetic products, a framework for conducting population exposure assessments. *Food and Chemical Toxicology* 45: 2097-2108
- Hays S.M., Aylward L.L., LaKind J.S., Bartels M.J., Barton H.A., Boogaard P.J., Brunk C., DiZio S., Dourson M., Goldstein D.A., Lipscomb J., Kilpatrick M.E., Krewskim D., Krishnan K., Nordberg M., Okino M., Tan Y-M., Viau C., Yager J.W. (2008) Guidelines for the derivation of Biomonitoring Equivalents: Report from the Biomonitoring Equivalents Expert Workshop. *Regulatory Toxicology and Pharmacology* 51: S4–S15
- Heberer T, Lahrssen-Wiederholt M, Schafft H, Abraham K, Pzyrembel H, Henning KJ, Schauzu M, Braeunig J, Goetz M, Niemann L, Gundert-Remy U, Luch A, Appel B, Banasiak U, Fleur Bol G, Lampen A, Wittkowski R, Hensel A (2007). Zero tolerances in food and animal feed—Are there any scientific alternatives? A European point of view on an international controversy. *Toxicology Letters* 175: 118–135
- Heise R, Mey J, Neis MM, Marquardt Y, Jousen S, Ott H, Wiederholt T, Kurschat P, Megahed M, Bickers DR, Merk HF, Baron JM. Skin retinoid concentrations are modulated by CYP26A1 expression restricted to basal keratinocytes in normal human skin and differentiated 3D skin models. *J Invest Dermatol* 126: 2473-2480
- Ho S.M., Tang W.Y., Belmonte de F.J., Prins G.S. (2006) Developmental exposure to estradiol and bisphenol A increases susceptibility to prostate carcinogenesis and epigenetically regulates phosphodiesterase type 4 variant. *Cancer Res* 66: 5624-32
- Hukkanen, J., Pelkonen, O., Hakkola, J., and Raunio, H. (2002): Expression and regulation of xenobiotic metabolizing Cytochrome P450 (CYP) enzymes in human lung. *Crit. Rev. Toxicol.* 32, 391–411.
- Humfrey CDN (2007). Recent developments in the risk assessment of potentially genotoxic impurities in pharmaceutical drug substances. *Toxicological Sciences* 100, 24–28
- Hutcheon D.E., Kantrowitz J., Van Gelder R.N., Flynn E. (1983) Factors affecting plasma benzo[a]pyrene levels in environmental studies. *Environ Res* 32: 104-110
- ICH (1997). International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH). Topic Q3C. Impurities: Residual Solvents. CPMP/ICH/283/95, approved by CPMP 1997 Sep <http://emea.europa.eu/pdfs/human/ich/028395en.pdf>
- ICH (2002). International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH). Topic Q3A(R). Impurities Testing Guideline: Impurities in New Drug Substances (Revision). CPMP/ICH/2737/99, approved by CPMP 2002 <http://emea.europa.eu/pdfs/human/ich/273799en.pdf>
- ICH (2010). International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH). Topic M7. Assessment and Control of DNA Reactive (Mutagenic) Impurities in Pharmaceuticals to Limit Potential Carcinogenic Risk.

http://www.ich.org/fileadmin/Public_Web_Site/ICH_Products/Guidelines/Multidisciplinary/M7/M7_Final_Concept_Paper_June_2010.pdf

- IFT Foundation (2009) Making Decisions about the Risks of Chemicals in Foods with Limited Scientific Information. An IFT Expert Report Funded by the IFT Foundation. Comprehensive Reviews in Food Science and Food Safety 8: 269-303
- Ikushima T., Aritomi H., Morisita J. (1996) Radioadaptive response: efficient repair of radiation-induced DNA damage in adapted cells. *Mutat-Res.* 358: 193-8
- Illing, H P A (2006) 'Risk Assessment' in *Fundamental Toxicology*, Ed Duffus, J H and Worth HGJ, Chapter 5, pp 56-71. Cambridge, Royal Society of Chemistry
- Illing, H P A (2006) 'Risk Management' in *Fundamental Toxicology*, Ed Duffus, J H and Worth HGJ, Chapter 6, pp 72-86 Cambridge: Royal Society of Chemistry
- Illing P (2006) 'General overview of the safety evaluation of chemicals'. In 'Alternatives to Animal Testing' Ed R E Hester, R M Harrison. *Issues in Environmental Science and Technology* 23,1-27. Cambridge: Royal Society of Chemistry
- Illing H.P.A. (2009) The role of veterinary pharmacovigilance in risk analysis and the influence of risk perception on veterinary pharmacovigilance. Edited by K.N. Woodward. Wiley-Blackwell. ISBN: 978-1-4051-6968-4
- ILSI Europe (1999) Threshold of toxicological concern for chemical substances present in the diet. Report of a workshop held in October 1999. ILSI Press. ISBN 1-57881-101-5
- Inchiosa MA (1987). Toxicokinetics, deposition, absorption, distribution and excretion. In: *Inhalation Toxicology*. Harry Salem (ed), Marcel Dekker Inc., New York, NY, 186
- Institute for Health and Consumer Protection, ECB, European Commission. (2003) Technical Guidance Document on Risk Assessment in support of Commission Directive 93/67/EEC on Risk Assessment for new notified substances. Commission Regulation (EC) No 1488/94 on Risk Assessment for existing substances Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market. Part I. report n° EUR 20418 EN/1
- Irigaray P., Ogier V., Jacquenet S., Notet V., Sibille P., Mejean L, Bihain B.E., Yen F.T. (2006) Benzo[a]pyrene impairs beta-adrenergic stimulation of adipose tissue lipolysis and causes weight gain in mice. A novel molecular mechanism of toxicity for a common food pollutant. *FEBS J.* 273: 1362-1372
- JECFA (1995). "Evaluation of certain food additives and contaminants. 44th Report of the Joint FAO/WHO Expert Committee on food additives", WHO Technical Report Series, No 859. http://www.who.int/pcs/jecfa/JECFA_publications.htm
- JECFA (1996). The safety evaluation of natural flavouring complexes. WHO Food Additives Series, No 52
- JECFA (2009). Evaluation of certain food additives. Sixty-ninth report of the Joint FAO/WHO Expert Committee on Food Additives. WHO Technical Report Series No 952. World Health Organization, Geneva. http://www.who.int/pcs/jecfa/JECFA_publications.htm
- Joiner M.C., Lambin P., Malaise E.P., Robson T., Arrand J.E., Skov K.A., Marples B. (1996) Hypersensitivity to very-low single radiation doses: its relationship to the adaptive response and induced radioresistance. *Mutat-Res.* 358: 171-83
- Kalkhof H, Herzler M, Stahlmann R, Gundert-Remy U (2012). Threshold of toxicological concern values for non-genotoxic effects in industrial chemicals: re-evaluation of the Cramer classification. *Archives of Toxicology* 86: 17-25

- Kawakubo Y, Kato, Nishikawa (1990). High capacity of human skin for N-acetylation of arylamines. *Skin Pharmacology* 3: 180-5
- Kawakubo Y, Merk HF, Al Masaoudi T, Sieben S, Blömeke B (2000). N-Acetylation of paraphenylenediamine in human skin and keratinocytes. *Journal of Pharmacology and Experimental Therapeutics* 292: 150-155
- Keller D, Krauledat M, Scheel J (2009). Feasibility study to support a threshold of sensitization concern concept in risk assessment based on human data. *Archives of Toxicology* 83: 1049-1060
- Krewski D, Szyszkowicz AM, Rosenkranz H (1990). Quantitative Factors in Chemical Carcinogenesis: Variation in Carcinogenic Potency. *Regulatory Toxicology and Pharmacology* 12: 13-29
- Kroes R, Galli C, Munro I, Schilter B, Tran LA, Walker R, Würtzen G. (2000). Threshold of toxicological concern for chemical substances in the diet: A practical tool for assessing the need for toxicity testing. *Food Chem Toxicol* 38: 255-312
- Kroes R, Kleiner J, Renwick A (2005). The Threshold of Toxicological Concern Concept in Risk Assessment. *Toxicological Sciences* 86: 226-230
- Kroes R, Kozianowski G (2002). Threshold of toxicological concern (TTC) in food safety assessment. *Toxicology Letters* 127: 43-46
- Kroes R, Renwick AG, Cheeseman M, Kleiner J, Mangelsdorf I, Piersma A, Schilter B, Schlatter J, van Schothorst F, Vos JG, Würtzen G (2004). Structure-based thresholds of toxicological concern (TTC): Guidance for application to substances present at low levels in the diet. *Food Chem Toxicol* 42: 65-83
- Kroes R, Renwick AG, Feron V, Galli CL, Gibney M, Greim H, Guy RH, Lhuguenot JC, van de Sandt JJ (2007). Application of the threshold of toxicological concern (TTC) to the safety evaluation of cosmetic ingredients. *Food and Chemical Toxicol.* 45: 2533-2562
- Larsen JC (2006). Risk Assessment of Chemicals in European Traditional Foods. *Trends in Food Science & Technology*, 17, 471-481
- Laufersweiler MC, Gadagbui B, Baskerville-Abraham IM, Maier A, Willis A, Scialli AR, Carr GJ, Felter SP, Blackburn K, Daston G (2012). Correlation of chemical structure with reproductive and developmental toxicity as it relates to the use of the threshold of toxicological concern. *Regulatory Toxicology and Pharmacology* 62: 160-182
- Lee D.H., Lee I.K., Porta M., Steffes M., Jacobs D.R. Jr. (2007) Relationship between serum concentrations of persistent organic pollutants and the prevalence of metabolic syndrome among non-diabetic adults: results from the National Health and Nutrition Examination Survey 1999-2002. *Diabetologia* 50: 1841-51
- Loh MM, Levy JI, Spengler JD, Houseman EA, Bennett DH (2007). Ranking Cancer Risks of Organic Hazardous Air Pollutants in the United States. *Environmental Health Perspectives* 115: 1160-1168
- Lombardi Borgia S, Schlupp P, Mehnert W, Schäfer-Korting M (2008). In vitro skin absorption and drug release - A comparison of six commercial prednicarbate preparations for topical use. *European Journal of Pharmaceutics and Biopharmaceutics* 68: 380-389
- Longnecker M.P. Daniels J.L. (2001a) Environmental contaminants as etiologic factors for diabetes. *Environ. Health Perspect.* 109 Suppl 6: 871-876
- Longnecker M.P., Klebanoff M.A., Brock J.W., Zhou H. (2001b) Polychlorinated biphenyl serum levels in pregnant subjects with diabetes. *Diabetes Care* 24, 1099-1101

- Loretz L, Api AM, BarraJ L, Burdick J, Davis D, Dressler W, Gilberti E, Jarrett G, Mann S, Pan YHL, Re T, Renskers K, Scrafford C, Vater S (2006). Exposure data for personal care products: Hairspray, spray perfume, liquid foundation, shampoo, body wash and solid antiperspirant. *Food and Chemical Toxicology* 44: 2008–2018
- Loretz L.J., Api A.M., Babcock L., BarraJ L.M., Burdick J., Cater K.C., Jarrett G., Mann S., Pan Y.H.L., Re T.A., Renskers K.J., Scrafford C.G. (2008) Exposure data for cosmetic products: Facial cleanser, hair conditioner, and eye shadow. *Food and Chemical Toxicology* 46: 1516–1524
- Loretz L.J., Api A.M., BarraJ L.M., Burdick J., Dressler W.E., Gettings S.D., Han Hsu H., Pan Y.H.L., Re T.A., Renskers K.J., Rothenstein A., Scrafford S.G., Sewall C. (2005) Exposure data for cosmetic products: lipstick, body lotion, and face cream. *Food and Chemical Toxicology* 43: 279–291
- Mace, K., Bowman, E.D., Vautravers, P., Shields, P.G., Harris, C.C., and Pfeifer, A.M.A. (1998): Characterisation of Xenobiotic-metabolising enzyme expression in human bronchial mucosa and peripheral lung tissues. *Europ. J. Cancer* 34, 914-920.
- Mahmoud A, Haberland A, Dürrfeld M, Heydeck D, Wagner S, Schäfer-Korting M. Cutaneous estradiol permeation, penetration and metabolism in pig and man. *Skin Pharmacol Physiol* 18: 27-35
- McGovern T, Jacobson-Kram D (2006). Regulation of genotoxic and carcinogenic impurities in drug substances and products, *Trends in Analyt Chem* 25: 790-795
- McNamara C, Rohan D, Golden D, Gibney M, Hall B, Tozer S, Safford B, Coroama M, Leneveu-Duchemin MC, Steiling W (2007). Probabilistic modelling of European consumer exposure to cosmetic products. *Food and Chemical Toxicology* 45: 2086-2096
- Melber C, Bitsch A, Simetska N, Mangelsdorf I (2005). Identification of Structure Activity Relationship (SAR) alerts combinations of functional groups) for repeated dose toxicity. Fraunhofer Institute of Toxicology and Experimental Medicine. Report on behalf of CEFIC LRI.
- Melching-Kollmuss S, Dekant W, Kalberlah F (2010). Application of the "threshold of toxicological concern" to derive tolerable concentrations of "non-relevant metabolites" formed from plant protection products in ground and drinking water. *Reg Toxicol Pharmacol* 56: 126-34
- Melikian A.A., Sun P., Prokopczyk B., El-Bayoumy K., Hoffmann D., Wang X., et al. (1999) Identification of benzo[a]pyrene metabolites in cervical mucus and DNA adducts in cervical tissues in humans by gas chromatography-mass spectrometry. *Cancer Lett* 15: 127-34
- Merk H, Mukhtar H, Kaufmann I, Das M, Bickers DR. Human hair follicle benzo(a)pyrene and benzo(a)pyrene 7,8-diol metabolism: effect of exposure to a coal tar-containing shampoo. *J Invest Dermatol* 88: 71-76
- Merk HF, Baron JM, Neis MM, Obrigkeit DH, Karlberg A-T (2007). Skin: Major target organ of allergic reactions to small molecular weight compounds. *Toxicology and Applied Pharmacology*. 224: 313-317
- Merk, H.F., Abel, J., Baron, J.M., Krutmann, J., 2004. Molecular pathways in dermatotoxicology. *Toxicology and Applied Pharmacology* 195: 267–277
- Mulkey M.E. (2001) Memorandum: the determination of whether dithiocarbamate pesticides share a common mechanism of toxicity. Office of Pesticide Programs (7501C). 19 December 2001

- Müller L, Mauthe RJ, Riley CM, Andino MM, De Antonis D, Beels C, DeGeorge J, De Knaep AGM, Ellison D, Fagerland JA, Frank R, Fritschel B, Galloway S, Harpur E, Humfrey CDN, Jacks AS, Jagota N, Mackinnon J, Mohan G, Ness DK, O'Donovan MR, Smith MD, Vudathala G, Yotti L (2006). A rationale for determining, testing, and controlling specific impurities in pharmaceuticals that possess potential for genotoxicity. *Regulatory Toxicology and Pharmacology* 44: 198-211
- Munro IC, Renwic A.G., Danielewska-Nikiel B. (2008) The Threshold of Toxicological Concern (TTC) in risk assessment. *Toxicology Letters* 180: 151-156
- Munro IC, Kennepohl E, Kroes R (1999). A Procedure for the Safety Evaluation of Flavoring Substances. *Food and Chem Toxicol*; 37: 207-232
- Munro IC, Ford RA, Kennepohl E, Sprenger JG (1996). Correlation of structural class with No-Observed-Effect Levels: A proposal for establishing a threshold of concern. *Food Chem Toxicol* 34: 829-867
- Münster U, Hammer S, Blume-Peytavi U, Schäfer-Korting M. Testosterone metabolism in human skin cells in vitro and its interaction with estradiol and dutasteride. *Skin Pharmacol Appl Skin Physiol* 16: 356-366
- Mushak P (2007). Hormesis and Its Place in Nonmonotonic Dose-Response Relationships: Some Scientific Reality Checks. *Environmental Health Perspectives* 115: 500-506
- Myers J.P., vom Saal F.S., Akingbemi B.T., Arizono K., Belcher S., Colborn T., Chahoud I., Crain D.A., Farabollini F., Guillette Jr. L.J., Hassold T., Ho S-M., Hunt P.A., Iguchi T., Jobling S., Kanno J., Laufer H., Marcus M., McLachlan J.A., Nadal A., Oehlmann J., Olea N., Palanza P., Parmigiani S., Rubin B.S., Schoenfelder G., Sonnenschein C., Soto A.M., Talsness C.E., Taylor J.A., Vandenberg L.N., Vandenberg J.G., Vogel S, Watson C.S., Welshons W.V., Zoeller R.T. (2009) Why Public Health Agencies Cannot Depend on Good Laboratory Practices as a Criterion for Selecting Data: The Case of Bisphenol A. *Environ Health Perspect* 117: 309-315
- National Academy of Sciences (2007) Toxicity Testing in the Twenty-first Century: A Vision and a Strategy (Free Executive Summary) <http://www.nap.edu/catalog/11970.html>
- National Research Council (2008) Science and Decisions: Advancing Risk Assessment. Committee on Improving Risk Analysis Approaches Used by the U.S. EPA, National Research Council. National Academies Press at: <http://www.nap.edu/catalog/12209.html>
- Newbold R.R., Padilla-Banks E., Snyder R.J., Jefferson W.N. (2007) Perinatal exposure to environmental estrogens and the development of obesity. *Mol Nutr Food Res* 51: 912-7
- Ng KME, Chu I, Bronaugh RL, Franklin CA, Somers DA (1991). Percutaneous absorption/metabolism of phenanthrene in the hairless guinea pig: Comparison of in vitro and in vivo results. *Fundamental and Applied Toxicology* 16: 517-524
- Ng KME, Chu I, Bronaugh RL, Franklin CA, Somers DA (1992). Percutaneous absorption and metabolism of pyrene, benzo[a]pyrene, and di(2-ethylhexyl) phthalate: Comparison of in vitro and in vivo results in the hairless guinea pig. *Toxicology and Applied Pharmacology* 115: 216-223
- Nielsen E, Larsen JC (2011). The Threshold of Toxicological Concern (TTC) concept: Development and regulatory applications. National Food Institute, Technical University of Denmark. Environmental Project No. 1359
- Nohynek GJ, Antignac E, Re T, Toutain H (2010). Safety assessment of personal care products/cosmetics and their ingredients. *Toxicology and Applied Pharmacology* 243: 239-259

- Nohynek GJ, Duche D, Garrigues A, Meunier P-A, Toutain H, Leclaire J (2005). Under the skin: Biotransformation of para-aminophenol and para-phenylenediamine in reconstructed human epidermis and human hepatocytes. *Toxicology Letters* 158: 196-212
- Nohynek GJ, Skare JA, Meuling WJA, Hein DW, de Bie ATHJ, Toutain H (2004). Urinary acetylated metabolites and N-acetyltransferase-2 genotype in human subjects treated with a para-phenylenediamine-containing oxidative hair dye. *Food and Chemical Toxicology* 42: 1885-1891
- O'Brien J, Renwick AG, Constable A, Dybing E, Muller DJG, Schlatter J, Slob W, Tueting W, van Benthem J, Williams GM, Wolfreys A (2006). Approaches to the risk assessment of genotoxic carcinogens in food: A critical appraisal. *Food and Chemical Toxicology* 44: 1613-1635
- OECD Guideline n° 427 on skin absorption, *in vivo* Method (2004). <http://titania.sourceoecd.org/vl=6576764/cl=17/nw=1/rpsv/ij/oecdjournals/1607310x/v1n4/s28/p1>
- OECD Guideline n° 428 on skin absorption, *in vitro* Method (2004). <http://titania.sourceoecd.org/vl=6576764/cl=17/nw=1/rpsv/ij/oecdjournals/1607310x/v1n4/s29/p1>
- Omdahl JL, Morris HA, May BK. 2002. Hydroxylase enzymes of the vitamin D pathway: Expression, function, and regulation. *Annu Rev Nutr* 22: 139-166
- Ostro B. (2004) Outdoor air pollution: assessing the environmental burden of disease at national and local levels. Geneva, World Health Organization (WHO Environmental Burden of Disease Series, No. 5)
- Paashuis-Lew Y.R., Heddle J.A. (1998) Spontaneous mutation during fetal development and post-natal growth. *Mutagenesis*. 13: 613-7
- Patlewicz G, Jeliaskova N, Safford RJ, Worth AP, Aleksiev B (2008). An evaluation of the implementation of the Cramer classification scheme in the Toxtree software. *SAR QSAR Environ Res* 19: 495-524
- Perera F., Hemminki K., Jedrychowski W., Whyatt R., Campbell U., Hsu Y., Santella R., Albertini R., O'Neill J-P. (2002) In utero DNA damage from environmental pollution is associated with somatic gene mutation in newborns. *Cancer Epidemiol Biomarkers Prev* 11: 1134-7
- Péry ARR, Desmots S, Mombelli E (2010). Substance-tailored testing strategies in toxicology: An *in silico* methodology based on QSAR modeling of toxicological thresholds and Monte Carlo simulations of toxicological testing. *Regulatory Toxicology and Pharmacology* 56: 82-92
- Peto R., Pike M.C., Bernstein L., Gold L.S., Ames B.N. (1984) The TD50: a proposed general convention for the numerical description of the carcinogenic potency of chemicals in chronic-exposure animal experiments. *Environmental Health Perspectives* 58: 1-8
- Peto R., Gray R., Brantom P., Grasso P. (1991a) Effects on 4080 rats of chronic ingestion of N-nitrosodiethylamine or N-nitrosodimethylamine: a detailed dose-response study. *Cancer-Res* 51: 6415-51
- Peto R., Gray R., Brantom P., Grasso P. (1991b) Dose and time relationships for tumor induction in the liver and esophagus of 4080 inbred rats by chronic ingestion of N-nitrosodiethylamine or N-nitrosodimethylamine. *Cancer-Res*. 51: 6452-69
- Pinalli R, Croera C, Theobald A, Feigenbaum A (2011). Threshold of toxicological concern approach for the risk assessment of substances used for the manufacture of plastic food contact materials. *Trends Food Sci Technol* 22: 523-534

- Pöloth C, Mangelsdorf I (1997). Commentary on the application of (Q)SAR to the toxicological evaluation of existing chemicals. *Chemosphere* 35: 2525-2542
- Quintana E, Shackleton M, Sabel MS, Fullen DR, Johnson TM, Morrison SJ (2008). Efficient tumour formation by single human melanoma cells. *Nature* 456: 593-598
- Raman NVVSS, Prasad AVSS, Ratnakar Reddy Karin (2011). Strategies for the identification, control and determination of genotoxic impurities in drug substances: A pharmaceutical industry perspective. *Journal of Pharmaceutical and Biomedical Analysis* 55: 662-667
- Raunio, H., Hakkola, J., Hukkanen, J., Pelkonen, O., Edwards, R., Boobis, A., and Anttila, S. (1998): Expression of xenobiotic-metabolizing cytochrome P450s in human pulmonary tissues. *Arch. Toxicol. Suppl.* 20, 465-469.
- Re TA, Mooney D, Antignac E, Dufour E, Bark I, Srinivasan V, Nohynek G (2009). Application of the threshold of toxicological concern approach for the safety evaluation of calendula flower (*Calendula officinalis*) petals and extracts used in cosmetic and personal care products. *Food and Chemical Toxicology* 47: 1246-1254
- Redpath J.L., Lu Q., Lao X., Molloy S., Elmore E. (2003) Low doses of diagnostic energy X-rays protect against neoplastic transformation in vitro. *International Journal of Radiation Biology* 79: 235-241
- Reilly TP, Lash LH, Doll MA, Hein DW, Woster PM, Svensson CK (2000). A role for bioactivation and covalent binding within epidermal keratinocytes in sulfonamide-induced cutaneous drug reactions. *Journal of Investigative Dermatology* 114: 1164-1173
- Renwick AG (2004). Toxicology databases and the concept of thresholds of toxicological concern as used by the JECFA for the safety evaluation of flavouring agents. *Toxicology Letters* 149: 223-234
- Renwick AG (2005). Structure-based thresholds of toxicological concern—guidance for application to substances present at low levels in the diet. *Toxicology and Applied Pharmacology* 207: S585 - S591
- Renwick AG, Dorne JL, Walton K (2000). An analysis of the need for an additional uncertainty factor for infants and children. *Regulatory Toxicology and Pharmacology* 31: 286-296
- Ross J.H., Dong M.H. Krieger R.I. (2000) Conservatism in Pesticide Exposure Assessment. *Regulatory Toxicology and Pharmacology* 31, 53-58
- Rothkamm K., Loblrich M. (2003) Evidence for a lack of DNA double-strand break repair in human cells exposed to very low x-ray doses. *Proc Natl Acad Sci USA* 100:5057-62
- Safford RJ (2008). The dermal sensitisation threshold—A TTC approach for allergic contact dermatitis. *Regulatory Toxicology and Pharmacology* 51: 195-200
- Safford RJ, Aptula AO, Gilmour N (2011). Refinement of the Dermal Sensitisation Threshold (DST) approach using a larger dataset and incorporating mechanistic chemistry domains. *Regulatory Toxicology and Pharmacology* 60: 218-224
- Sawyer C., Peto C., Bernstein L., Pike M.C. (1984) Calculation of carcinogenic potency from long-term animal carcinogenesis experiments. *Biometrics* 40, 27-40. March 1984
- SCC (1983) Report by the Scientific Committee on Cosmetics on the use of hydroquinone as a skin-bleaching product (Opinion expressed 24.2.1983).
- SCCNFP (2003). Opinion of the SCCNFP concerning basic criteria for the in vitro assessment of percutaneous absorption of cosmetic ingredients, SCCNFP/0750/03, updated October 2003, 20 October 2003.
http://ec.europa.eu/health/archive/ph_risk/committees/sccp/documents/out231_en.pdf

- SCCNFP/0011/98. Opinion concerning Acrylamide residues in cosmetics. Adopted by the SCCNFP during the 9th plenary meeting of 30 September 1999
- SCCNFP/0077/98. Opinion concerning Hydroquinone as a skin depigmenting agent (COLIPA n° A21). Adopted by the SCCNFP during the 5th plenary meeting of 25 November 1998
- SCCNFP/0167/99, Opinion of the SCCNFP concerning basic criteria for the in vitro assessment of percutaneous absorption of cosmetic ingredients. Adopted by the SCCNFP during the 8th plenary session of 23 June 1999
- SCCNFP/0411/01. Opinion concerning Diethyl phthalate. Adopted by the SCCNFP during the 20th plenary meeting of 4 June 2002
- SCCNFP/0663/03. Opinion concerning Ethoxyethanol, Ethoxyethanol acetate, 2-Methoxyethanol and 2-Methoxyethanol acetate (glycol ethers and their acetates). Adopted by the SCCNFP during the 23rd plenary meeting of 18 March 2003
- SCCNFP/0750/03, Opinion of the SCCNFP concerning basic criteria for the in vitro assessment of percutaneous absorption of cosmetic ingredients, updated October 2003. Adopted by the SCCNFP during the 25th plenary session of 20 October 2003
- SCCNFP/0787/04. Opinion on Acid Blue 9. COLIPA n° C40. Adopted by the SCCNFP on 23 April 2004 by means of the written procedure
- SCCNFP/0792/04. Opinion on Acid Red 18 COLIPA N° C175. Adopted by the SCCNFP on 23 April 2004 by means of the written procedure
- SCCNFP/0822/04. Opinion on Furfural. Adopted by the SCCNFP during the 28th plenary meeting of 25 May 2004
- SCCNFP/0833/04. Opinion concerning Dibutylphthalate. Adopted by the SCCNFP on 1 July 2004 by means of the written procedure
- SCCNFP/1991/97. Opinion concerning Acetonitrile. Adopted by the SCCNFP during the 2nd plenary meeting of 21 January 1998
- SCCNFP/587/02. Opinion on concerning a clarification on the formaldehyde and para-formaldehyde entry in directive 76/768/EEC on cosmetic products. Adopted by the SCCNFP during the 22nd plenary meeting of 17 December 2002
- SCCP The SCCP's Notes of Guidance for the Testing of Cosmetic Ingredients and their Safety Evaluation. 6th Revision. 2006.
- SCCP (2008). Opinion of the Scientific Committee on Consumer Products on dermal sensitisation quantitative risk assessment (citral, farnesol and phenylacetaldehyde), SCCP/1153/08, 24 June 2008
http://ec.europa.eu/health/archive/ph_risk/committees/04_sccp/docs/sccp_o_135.pdf
- SCCP (2009). Opinion on Intermediates and reaction products of oxidative hair dye ingredients formed during hair dyeing, SCCP/1198/08. 21 January 2009.
http://ec.europa.eu/health/ph_risk/committees/04_sccp/docs/sccp_o_162.pdf
- SCCP/0867/05. Opinion on para-Aminophenol COLIPA n° A16. Adopted by the SCCP during the 3rd plenary meeting of 15 March 2005
- SCCP/0891/05. Opinion on Benzoic Acid and Sodium Benzoate. Adopted by the SCCP during the 4th plenary of 21 June 2005
- SCCP/0935/05 Opinion on Coumarin (sensitisation only). Adopted by the SCCP during the 8th plenary meeting of 20 June 2006

- SCCP/0970/06, Opinion of the SCCP concerning basic criteria for the in vitro assessment of percutaneous absorption of cosmetic ingredients, updated March 2006. Adopted by the SCCP during the 7th plenary session of 28 March 2006
- SCCP/1016/06. Opinion on Phthalates in cosmetic products. Adopted by the SCCP at its 11th plenary meeting of 21 March 2007
- SCCP/1029/06. Opinion on Toluene (its use as a solvent in nail cosmetics). Adopted by the SCCP during the 9th plenary meeting of 10 October 2006
- SCCP/1035/06. Opinion on HC Blue N°2 COLIPA N° B37. Adopted by the SCCP during the 10th plenary of 19 December 2006
- SCCP/1044/06. Opinion on Diethylene Glycol Monoethyl Ether (DEGEE). Adopted by the SCCP during the 10th plenary of 19 December 2006
- SCCP/1068/06 Opinion on Methyl-N-methylantranilate (photo-toxicity only). Adopted by the SCCP during the 10th plenary of 19 December 2006
- SCF (1992). Guidelines for Presentation of Data for Toxicological Evaluation of a Substance to be Used in Materials and Articles Intended to Come into Contact with Foodstuffs (Opinion expressed on 18 May 1990). SCF 26th Series Report. Report EUR 13913en. European Commission Directorate General - Internal Market and Industrial Affairs, Luxembourg. http://ec.europa.eu/food/fs/sc/scf/reports/scf_reports_26.pdf
- SCF (1996). "Opinions of the Scientific Committee for Food on: The scientific basis of the concept of threshold of regulation in relation to food contact materials. 8 March 1996, Reports of the Scientific Committee for Food (Thirty-ninth Series) pp 1-16
- SCF (1998). "Opinions of the Scientific Committee for Food on: The scientific basis of the concept of threshold of regulation in relation to food contact materials (expressed on 8 March 1996)", Reports of the Scientific Committee for Food (Thirty-ninth Series) pp 1-16.
- SCF (1999). Opinion on a Programme for the Evaluation of Flavouring Substances (2 December 1999) Scf/Cs/Flav/Taskf/11 Final 6/12/1999
- SCF (2001), Guidelines of the Scientific Committee on Food for the presentation of an application for a safety assessment of a substance to be used in food contact materials prior to its authorisation (updated on 13 December 2001). http://ec.europa.eu/food/fs/sc/scf/out82_en.pdf
- SCF Scientific Committee on Food (1997) Food science and techniques. Reports of the SCF (39th series) Office for Official Publications of the European Communities, 1998. ISBN 92-828-1517X
- Schaafsma G, Kroese E.D., Tielemans E.L.J.P., Van de Sandt J.J.M, Van Leeuwen C.J. (2009). REACH, non-testing approaches and the urgent need for a change in mind set. Regulatory Toxicology and Pharmacology 53: 70-80
- SCHER/SCCP/SCENIHR (2009). Scientific opinion on the risk assessment methodologies and approaches for genotoxic and carcinogenic substances, January 2009
- SDA (The Soap and Detergent Association) (2005) Exposure and risk screening methods for consumer product ingredients. www.sdahq.org
- Seko N, Bando H, Lim CW, Yamashita F, Hashida M. Theoretical analysis of the effect of cutaneous metabolism on skin permeation of parabens based on a two-layer diffusion/metabolism model. Biol Pharm Bull 22: 281-287

- Sheehan D.M., Willingham E., Gaylor D., Bergeron J.M., Crews D. (1999) No threshold dose for estradiol-induced sex reversal of turtle embryos: how little is too much? *Environ Health Perspect* 107: 155-9
- Sheehan DM (2006). No-threshold dose–response curves for nongenotoxic chemicals: Findings and applications for risk assessment. *Environmental Research* 100: 93-99
- Silva E, Scholze M, and Kortenkamp A (2007). Activity of Xenoestrogens at Nanomolar Concentrations in the E-Screen Assay. *Environmental Health Perspectives* 115:91-97
- Silva E., Rajapaske N., Kortenkamp A. (2002) Something from "nothing" – eight week estrogenic chemicals combined at concentrations below NOECs produce significant mixture effects. *Environ Sci Technol* 36, 1751-1756
- Simkhovich Z., Kleinman M.TM., Kloner R.A. (2008) Air pollution and cardiovascular injury epidemiology, toxicology, and mechanisms. *J.Am.Coll.Cardiol.* 52: 719-726
- Slob W, Tueting W, van Benthem J, Williams GM, Wolfreys A (2006). Approaches to the risk assessment of genotoxic carcinogens in food: A critical appraisal. *Food and Chemical Toxicology* 44: 1613–1635
- Slotkin TA, Bodwell BE, Levin ED, Seidler FJ (2008). Neonatal Exposure to Low Doses of Diazinon: Long-Term Effects on Neural Cell Development and Acetylcholine Systems. *Environmental Health Perspectives* 116: 340-348
- Smith CK, Moore CA, Elahi EN, Smart ATS, Hotchkiss SAM (2000). Human skin absorption and metabolism of the contact allergens cinnamic aldehyde, and cinnamic alcohol. *Toxicology and Applied Pharmacology* 168: 189-199
- Smith RL, Adams TB, Cohen SM, Doull J, Feron VJ, Goodman JI (2004). Safety evaluation of natural flavour complexes. *Toxicology Letters* 149: 197–207
- Smith RL, Cohen SM, Doull J, Feron VJ, Goodman JI, Marnett LJ, Portoghese PS, Waddell WJ, Wagner BM, Hall RL, Higley NA, Lucas-Gavin C, Adams TB (2005). A procedure for the safety evaluation of natural flavor complexes used as ingredients in food: essential oils. *Food and Chemical Toxicology* 43: 345–363
- Snodin, DJ (2008) EU guideline on genotoxic impurities needs updating. *RAJ Pharma*. Part I September (593-598); Part II October (663-670)
- Society of the Plastics Industry (2008) Comments on behalf of the Society of the Plastics Industry, Inc. on European Commission's draft opinion on the use of the threshold of toxicological concern (TTC) approach for the safety assessment of chemical substances (SCCP/1171/08)
- TemaNord (2005). Threshold of Toxicological Concern (TTC) - Literature review and applicability. Nordic Council of Ministers, Copenhagen 2005
- Thayer K.A., Ruhlen R.L., Howdeshell K.L., Buchanan D.L., Cooke P.S., Preziosi D., et al. Altered prostate growth and daily sperm production in male mice exposed prenatally to subclinical doses of ITalpha-ethinyl oestradiol. *Hum Reprod* 16:988-96
- Thybaud V, Aardema M, Casciano D, Dell'arco V, Embry MR, Bhaskar Gollapudi B, Hayashi M, Holsapple MP, Jacobson-Kram D, Kasper P, MacGregor JT, Rees R. (2007). Relevance and follow-up of positive results in in vitro genetic toxicity assays: An ILSI-HESI initiative. *Mutation Research* 633: 67–79
- Tielemans E., Warren N., Schneider T., Tischer M., Ritchie P., Goede H., Kromhout H., Van Hemmen J., Cherrie J.W. (2007) Tools for regulatory assessment of occupational exposure: development and challenges. *Journal of Exposure Science and Environmental Epidemiology* 17: S72–S80

- Gluczkiewicz I, Buist HE, Martin MT, Mangelsdorf I, Escher SE (2011). Improvement of the Cramer classification for oral exposure using the database TTC RepDose. A strategy description. *Regulatory Toxicology and Pharmacology* 61: 340-350
- Ueno A.M., Vannais D.B., Gustafson D.L., Wong J.C, Waldren C.A. (1996) A low, adaptive dose of gamma-rays reduced the number and altered the spectrum of S1 - mutants in human-hamster hybrid AL cells. *Mutat Res* 358: 161-9
- US EPA (US Environmental Protection Agency). (2004) Risk Assessment Principles and Practices. Office of the Science Advisor, Staff Paper. EPA/100/B-04/001. Washington DC. 2004
- US FD&C Act (1958) "Federal food, drug and cosmetic Act, as amended Title 21 U.S. Code", U.S. Governmental Printing Office, Washington (cited in Rulis, 1986; 1989)
- US FDA (1995) "Food Additives: Threshold of regulation of substances used in food contact articles: Final rule", *Federal Register*. 60: 36582-36596. www.cfsan.fda.gov/~lrd/t36582.html
- US FDA (2005). Guidance for Industry: Submitting Requests under 21 CFR 170.39 Threshold of Regulation for Substances used in Food-Contact Articles. CFSAN/Office of Food Additive Safety, April 2005
- van den Berg SJPL, Serra-Majem L, Coppens P, Rietjens IMCM (2011). Safety assessment of plant food supplements (PFS). *Food & Function* 2: 760-768
- van de Sandt JJM, van Burgsteden JA, Cage S, Carmichael PL, Dick I, Kenyon S, Korinth G, Larese F, Limasset JC, Maas WJM, Montomoli L, Nielsen JB, Payan JP, Robinson E, Sartorelli P, Schaller KH, Wilkinson SC, Williams FM (2004). In vitro predictions of skin absorption of caffeine, testosterone, and benzoic acid: a multi-centre comparison study. *Regulatory Toxicology and Pharmacology* 39: 271-281
- van Larebeke N. Comment on the "Draft opinion on the Use of the Threshold of Toxicological Concern (TTC) Approach for the Safety Assessment of Chemical Substances. Study Centre for Carcinogenesis and Primary Prevention of Cancer, Ghent University. For the Health & Environment Alliance
- van Ravenzwaay B, Dammann M, Buesen R, Schneider S (2011). The Threshold of toxicological concern for prenatal developmental toxicity. *Regulatory Toxicology and Pharmacology* 59: 81-90
- Velasquez DJ (1990). Toxicologic responses to inhaled aerosols and their ingredients. In: *Respiratory Drug Delivery*. Byron PR (ed), CRC Press, Boca Raton, FL, 45
- Verhaar HJM, van Leeuwen CJ and Hermens JLM (1992). Classifying environmental pollutants. 1. Structure-activity relationships for prediction of aquatic toxicity. *Chemosphere* 25, 471-491.
- Vestergren R., Cousins I.T., Trudel D., Wormuth M., Scheringer M. (2008) Estimating the contribution of precursor compounds in consumer exposure to PFOS and PFOA. *Chemosphere* 73: 1617-1624
- VKM - Norwegian Scientific Committee for Food Safety (2006). Present and suggested use of the Threshold of Toxicological Concern (TTC) principle in areas of risk assessment relevant for the Norwegian Scientific Committee for Food Safety (VKM). 24 May 2006
- vom Saal F.S. (2007) Could hormone residues be involved? *Hum Reprod* 2007 Jun;22(6): 1503-5. doi: 10.1093/humrep/dem092
- vom Saal F.S., Akingbemi B.T., Belcher S.M., Birnbaum L.S., Crain D.A., Eriksen M., et al. (2007) Chapel Hill bisphenol A expert panel consensus statement: integration of mechanisms,

effects in animals and potential to impact human health at current levels of exposure
Reprod Toxicol 24:131-8

- vom Saal F.S., Hughes C. (2005) An extensive new literature concerning low-dose effects of bisphenol A shows the need for a new risk assessment. *Environmental Health Perspectives* 113: 926-933
- vom Saal F.S., Timms B.G., Montano M.M., Palanza P., Thayer K.A., Nagel S.C., et al. (1997) Prostate enlargement in mice due to fetal exposure to low doses of estradiol or diethylstilbestrol and opposite effects at high doses. *Proc Natl Acad Sci USA* 94:2056-61
- vom Saal F.S., Welshons W.V. (2006) Large effects from small exposures. II. The importance of opposite controls in low-dose research on bisphenol A. *Environ Res* 100:50-76
- Ward K.W., Nagilla R., Jolivet, L.J. (2005) Comparative evaluation of oral systemic exposure of 56 xenobiotics in rat, dog, monkey and human. *Xenobiotica* 35: 191-210
- Watanabe H., Suzuki A., Kobayashi M., Lubahn D.B., Handa H., Iguchi T. (2003) Toxicogenomic difference between diethylstilbestrol and 17 beta-estradiol in mouse testicular gene expression by neonatal exposure. *J Mol Endocrinol* 31:487-497
- Watson C.S., Alyea R.A., Jeng Y.J., Kochukov M.Y. (2007) Nongenomic actions of low concentration estrogens and xenoestrogens on multiple tissues. *Mol Cell Endocrinol* 274: 1-7
- Watson C.S., Bulayeva N.N., Wozniak A.L., Finnerty C.C. (2005) Signaling from the membrane via membrane estrogen receptor-alpha: estrogens, xenoestrogens, and phytoestrogens. *Steroids* 70: 364-71
- Welshons W.V., Nagel S.C., vom Saal F.S. (2006) Large effects from small exposures. III. Endocrine mechanisms mediating effects of bisphenol A at levels of human exposure. *Endocrinology* 147: S56-S69
- Welshons W.V., Thayer K.A., Judy B.M., Taylor J.A., Curran E.M., vom Saal F.S. (2003) Large effects from small exposures. I. Mechanisms for endocrine-disrupting chemicals with estrogenic activity. *Environ Health Perspect* 11: 994-1006
- Welshons WV, Thayer KA, Judy BM, Taylor JA, Curran EM, vom Saal FS (2003). Large Effects from Small Exposures. I. Mechanisms for Endocrine-Disrupting Chemicals with Estrogenic Activity. *Environmental Health Perspectives* 111: 994-2006
- White R.H., Cote I., Zeise L., Fox M., Dominici F., Burke T.A., White P.D., Hattis D.B., Samet J.M. (2009) State-of-the-Science Workshop Report: Issues and Approaches in Low-Dose-Response Extrapolation for Environmental Health Risk Assessment. *Environ Health Perspect* 117: 283-287
- Wigle D.T., Lanphear B.P. (2005) Human health risk from low-level environmental exposures: no apparent safety thresholds. *Plos Medicine*. 2: 1232-1234
- Wilkinson SC, Williams FM (2007). Cutaneous metabolism. *Dermal Absorption and Toxicity Assessment*. 177: 89-115. In: *Dermal Absorption and Toxicity Assessment* (Roberts M, Walters K. eds.) 2nd edition, Informa Healthcare, New York (2007)
- Wilschut A., Houben G.F., Hakkert, B.C. (1998) Evaluation of route-to-route extrapolation in health risk assessment for dermal and respiratory exposure to chemicals. TNO Nutrition and Food Research Institute. TNO Report V97.520, 1998
- Wolff S. (1998) The adaptive response in radiobiology: evolving insights and implications. *Environ Health Perspect* 106 Suppl 1: 277-83

- Worth A., Cronin M., Enoch S., Fioravanzoc E., Fuart-Gatnik M., Pavan M., Yang C. (2012) Applicability of the Threshold of Toxicological Concern (TTC) approach to cosmetics – preliminary analysis. JRC Scientific and Technical Report, EUR 25162 EN. Publications Office of the European Union, Luxembourg. Available at: <http://publications.jrc.ec.europa.eu/repository/>
- Wozniak A.L., Bulayeva N.N., Watson C.S. (2005) Xenoestrogens at Picomolar to Nanomolar Concentrations Trigger Membrane Estrogen Receptor- α -Mediated Ca^{2+} Fluxes and Prolactin Release in GH3/B6 Pituitary Tumor Cells. *Environmental Health Perspectives* 113: 431-439
- Yang J., Xu Z.P., Huang Y., Hamrick H.E., Duerksen-Hughes P.J., Yu Y.N. (2004) ATM and ATR: sensing DNA damage. *World journal of gastroenterology: World J Gastroenterol* 10: 155-60
- Yourick J.J., Bronaugh R.L. (2000). Percutaneous penetration and metabolism of 2-Nitrophenylenediamine in human and fuzzy rat skin. *Toxicology and Applied Pharmacology*. 166: 13-23