

### **Bibliography of the Sources Examined in preparation of the Opinion**

- Adair S.A. Evidence-based use of fluoride in contemporary pediatric dental practice. *Pediatric Dentistry* 28:2 2006
- Adamek E. et al. in vitro and in vivo effects of fluoride ions on enzyme activity. *Annales Academiae Medicae Stetinensis*, volume 51, issue 2 (2005) pp. 69-85
- Agency for Toxic Substances & Disease Registry (ATSDR). 2003. Toxicological profile for fluorides, hydrogen fluoride, and fluorine. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- Ahiropoulos, V. Fluoride content of bottled waters available in Northern Greece. *International Journal of Paediatric Dentistry* 2006; 16:111-116
- Alarcon-Herrera MT, et al. (2001). Well water fluoride, dental fluorosis, bone fractures in the Guadiana Valley of Mexico. *Fluoride* 34(2): 139-49.
- All Party Parliamentary Group on Primary Care and Public Health (2003) Inquiry into water fluoridation.
- Alvarez J. Abanto. (2009) Dental fluorosis: Exposure, prevention and management. *Med Oral Patol Oral Cir Bucal*. Feb 1;14 (2):E103-7.
- American Dental Association. Professionally applied topical fluoride. Evidence-based clinical recommendations (2006) 137: 1151–1159.
- American Dental Association 2006. American Dental Association. Interim Guidance on Reconstituted Infant Formula ADA,eGRAM. November 9.
- Ammari J.B. et al. Effects of Programs for Prevention of Early Childhood Caries. A Systematic Review. *Med Princ Pract* 2007;16: 437–442
- Anderson W.A. et al. A probabilistic estimation of fluoride intake by infants up to the age of 4 months from infant formula reconstituted with tap water in the fluoridated regions of Ireland. *Caries Res* 2004;38:421-429
- Ardu S. et al. A combined chemo-mechanical approach for aesthetic management of superficial enamel defects. *British Dental Journal*, volume 206 n° 4, Feb 28 2009
- Armfield J.M. Public water fluoridation and dental health in New South Wales. *Australian and New Zealand Journal of Public Health*. 2005. vol 29 n° 5, 477-483
- Armfield, J. M. and Spencer, A. J. (2004), Consumption of nonpublic water: implications for children's caries experience. *Community Dentistry and Oral Epidemiology*, 32: 283–296
- Ast DB, Smith DJ, Wachs B, Cantwell, KT - "Newburgh-Kingston Caries-Fluorine Study;XIV. Combined Clinical and Roentgenographic Dental Findings After Ten Years of Fluoride Experience" *JADA* 52:314-325 (1956)

- ASTDR (Agency for Toxic Substances and Disease Registry) (2003) Toxicological Profile for Fluorides, Hydrogen Fluoride, and Fluorine U.S. Department of Health and Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. Division of Toxicology/Toxicology Information Branch. September 2003. Atlanta, Georgia.
- Association of State and Territorial Dental Directors Fluorides Committee. Fluoride Varnish: an Evidence-Based Approach Research Brief (2007)
- Atar M. and Koerperich E. Systemic disorders and their influence on the development of dental hard tissues: A literature review. *J. Dentistry* (2010) 38:286-306.
- AU-NHMRC (2007) National Health and Medical Research Council (Australia): A systematic review of the efficacy and safety of fluoridation. Australian Government 2007. ISBN Print: 1864964219
- Axelsson S. et al. Effect of combined caries-preventive methods: a systematic review of controlled clinical trials. *Acta Odontol. Scand* 62 (2004) 164-169
- Bachinskii PP et al. 1985. Action of the body fluorine of healthy persons and thyroidopathy patients on the function of hypophyseal-thyroid the system. *Probl Endokrinol (Mosk)* 31(6):25-9.
- Basha P.M. and N. Madhusudhan, Pre and Post Natal Exposure of Fluoride Induced Oxidative Macromolecular Alterations in Developing Central Nervous System of Rat and Amelioration by Antioxidants, *Neurochemical Research*,(2010) 35:1017-1028
- Bassin, E.B., Wypij, D., Davis, R.B., and Mittleman, M.A. 2006. Age-specific fluoride exposure in drinking water and osteosarcoma (United States). *Cancer Causes Control*. 17(4):421-428.
- Bassin E.B. et al; Age-specific fluoride exposure in drinking water and osteosarcoma (United States). *Cancer Causes Control* (2006) 17:421–428
- Bauer P, Binder K, Husinsky I, Kleinert W, Kunkel W, Scheiber V, Uberhuber CW, Westphal G, Wohlzogen FX - "Determining the average post-eruptive age of teeth from the results of cross-sectional studies" *Zahn Mund Kieferheilkd Zentralbl* 66(3):227-41 (1978)
- Bégin L, Fortin J, and Caron J (2003) Evaluation of the Fluoride Retardation Factor in unsaturated and undisturbed Soil Columns. *Soil Sci, Soc. Am. J*, 67:1635-1646. pag33
- Beirne. Fluoride debate.conclusions. PhD thesis
- Bely M. 1983. Experimental fluorosis in rats: NaF induced changes of bone and bone marrow. *Fluoride* 16(2):106-11.
- Bely M et al. 1988. Changes in the collagen structure of bone tissue in experimental fluorosis. *Fluoride* 21(1):28-31.
- Bely M. 1990. The orientation of capsular and intercapsular collagen fibres and glycosaminoglycans in experimental osteofluorosis. *Fluoride* 23(4):171-74.
- Bely M. 1991. The inhibited enchondral ossification in experimental osteofluorosis in rats. *Fluoride* 24(1):17-22.

- Beltran-Aguilar E.D. et al. Surveillance for dental Caries, dental sealants, tooth retention, edentulism and enamel fluorosis. US, 1988-1994 and 1999-2002. MMWR Surveillance Summaries. August 26, 2005 / 54(03):1-44
- Benson P.E. et al. Fluorides, orthodontics and demineralization: a systematic review. Journal of Orthodontics, Vol. 32, 2005, 102–114
- Bera, R. Sabatini, P. Auteri et al., Neurofunctional Effects of Developmental Sodium Fluoride Exposure in Rats, European Review for Medical and Pharmacological Sciences 11, no. 44 (2007): 211–24
- Bergman C. et al. What is next for the dietary reference intakes for bone metabolism related nutrients beyond calcium: phosphorus, magnesium, vitamin D and fluoride? Critical Reviews in Food Science and Nutrition, 49:136-144 (2009)
- Bharti V. K. and R. S. Srivastava, Fluoride-induced Oxidative Stress in Rat's Brain and its Amelioration by Buffalo (*Bubalus Bubalis*) Pineal Proteins and Melatonin, Biological Trace Element Research 130, no. 2 (2009): 131–40
- Bhatnagar M. et al., “Biochemical Changes in Brain and Other Tissues of Young Adult Female Mice from Fluoride in their Drinking Water,” Fluoride 39, no. 4 (2006): 280–84,
- Bigard L, Obry-Musset MA -"Eruption pattern of permanent teeth in a transversal sample of children from Strasbourg" Faculté de Chirurgie, Strasbourg, France ABSTRACTS from 3rd EADPH Congress September 8-9, 1999, Strasbourg, France. Originally Published in Community Dental Health Volume 16 Number 3
- Birkeland J.M. et al. Severity of dental caries among 12-year-old Sudanese children. with different fluoride exposure. Clin Oral Invest (2005) 9: 46–51
- Bottenberg P et al. Prevalence and Determinants of Enamel Fluorosis in Flemish Schoolchildren. Caries Res 2004;38:20–28
- Bouaziz H. et al. Fluoride-induced thyroid proliferation changes and their reversal in female mice and their pups. Fluoride 2005;38(3):185–192 Research report 185
- Bouaziz H. et al., Fluoride-Induced Brain Damages in Suckling Mice, Pesticide Biochemistry and Physiology 96, (2010): 24–29
- Bouletreau P.H. et al. Fluoride exposure and bone status in patients with chronic intestinal failure who are receiving home parenteral nutrition Am J Clin Nutr 2006;83:1429 –37
- British Association for the Study of Community Dentistry (2007) The Caries Experience of 5 year old children in Great Britain (2005/06). London: British Association for the Study of Community Dentistry.
- Bronckers AL, Lyaruu DM, DenBesten PK (2009) The Impact of Fluoride on Ameloblasts and the Mechanisms of Enamel Fluorosis, Journal of Dental Research, Vol. 88, 877-93
- Browne D. et al. Fluoride metabolism and fluorosis. Journal of Dentistry (2005) 33, 177–186

- Browne D.M. The Impact of Enamel Fluorosis on Dental Aesthetics and Quality of Life. PhD Thesis, University College Cork, 2008
- Burt BA (1992) The Changing Patterns of Systemic Fluoride Intake *Journal of Dental Research*, 71: 1228-37
- Butler WJ, Segreto V, Collins E (1985) Prevalence of dental mottling in school-aged lifetime residents of 16 Texas communities. *American Journal of Public Health*, 75:1408-12
- Camargo JA 2003 Fluoride toxicity to aquatic organisms: a review *Chemosphere* 50: 251-64
- Campagna L, Tsamtsouris A, Kavadia K - "Fluoridated drinking water and maturation of permanent teeth at age 12" *J Clin Pediatr Dent* 19(3):225-8 (1995) Department of Pediatric Dentistry, Tufts University School of Dental Medicine, Boston, MA 02111, USA.
- Cao J. et al. Fluoride levels in various black tea commodities: Measurement and safety evaluation. *Food and Chemical Toxicology* 44 (2006) 1131–1137
- Cardoso V.E.S. et al. Relationship between daily fluoride intake from diet and the use of dentifrice and human plasma fluoride concentrations. *Archives of Oral Biology* (2006) 51, 552—557
- Carton R. Review of the 2006 US National Research Council Report: Fluoride in Drinking Water, *Fluoride* (2006) 39(3)163–172
- Casarin R.C.V. et al. Fluoride concentrations in typical Brazilian foods and in infant foods. *Rev Saúde Pública* 2007;41(4)
- Cassals E. et al. Anticaries Potential of Commercial Dentifrices as Determined by Fluoridation and Remineralization Efficiency. *The Journal of Contemporary Dental Practice*, Volume 8, No. 7, November 1, 2007
- Catanese J, and Keavney TM (1996) Role of collagen and hydroxyapatite in the mechanical behavior of bone tissue. *J Bone Miner Res* 11:S295.
- Centers for Disease Control and Prevention (2001) *Morbidity and Mortality Weekly Report* (50 (RR-14):1–42 2001): Recommendations for using fluoride to prevent and control dental caries in the United States. Atlanta: Centers for Disease Control and Prevention.
- CDC (Centers for Disease Control and Prevention). 2005. Surveillance for Dental Caries, Dental Sealants, Tooth Retention, Edentulism, and Enamel Fluorosis—United States, 1988- 1994 and 1999-2002. *Morbidity and Mortality Weekly Report* 54(SS3):1-43. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention
- Chandrajith R. et al. Fluoride in Ceylon tea and its implications to dental health. *Environ Geochem Health* (2007) 29:429–434
- Chen J, Shan KR, Long YG, Wang YN, Nordberg A, Guan ZZ. 2003. Selective decreases of nicotinic acetylcholine receptors in PC12 cells exposed to fluoride. *Toxicology* 183: 235-42.

- Chen Y. et al., "Research on the Intellectual Development of Children in High Fluoride Areas," *Fluoride* 41, no. 2 (2008): 120–24,
- Cheng K.K. et al. Adding fluoride to water supplies. *BMJ* 2007;335;699-702
- Chirumari K. and P. K. Reddy, Dose-Dependent Effects of Fluoride on Neurochemical Milieu in the Hippocampus and Neocortex of Rat Brain, *Fluoride* 40, no. 2 (2007): 101–10
- Chioca L.R. et al., "Subchronic Fluoride Intake Induces Impairment in Habituation and Active Avoidance Tasks in Rats," *European Journal of Pharmacology* 579, no. 1–3 (2008): 196–201
- Chouhan S. and S. J. Flora, "Effects of Fluoride on the Tissue Oxidative Stress and Apoptosis in Rats: Biochemical Assays Supported by IR Spectroscopy Data," *Toxicology* 254, no. 1–2 (2008): 61–67.
- Chouhan S. et al., Fluoride-induced Changes in Haem Biosynthesis Pathway, Neurological Variables and Tissue Histopathology of Rats," *Journal of Applied Toxicology* 30, no. 1 (2010): 63–73
- Clark D.C. et al. Changes in dental fluorosis following the cessation of water fluoridation. *Community Dent Oral Epidemiol* 2006; 34:197-204
- Clenaghan C., O'Neill M., Page D. Dangerous Substances Regulations. National Implementation Report, 2005. Office of Environmental Enforcement, Environmental Protection Agency, Ireland
- Cochran J.A. et al. A standardized photographic method for evaluating enamel opacities including fluorosis. *Community Dent Oral Epidemiol* 2004; 32 (Suppl. 1):19-27
- Cochran J.A. et al. Development of a standardized method for comparing fluoride ingested from toothpaste by 1.5 – 3.5-year-old children in seven European countries. Part 2: ingestion results. *Community Dent Oral Epidemiol* 2004; 32 (Suppl. 1):47-53
- Cochran J.A. et al. Development of a standardized method for comparing fluoride ingested from toothpaste by 1.5 – 3.5-year-old children in seven European countries. Part 1: field work. *Community Dent Oral Epidemiol* 2004; 32 (Suppl. 1):39-46
- Cochran JA et al. a comparison of the prevalence of fluorosis in 8-year-old children from seven European study sites using a standardized methodology. *Community Dent Oral Epidemiol* 2004, 32 (Suppl. 1): 28-33
- Cohn PD (1992) A brief report on the association of DW and incidence of osteosarcoma in young males New Jersey Department of Health Environ. Health Service: 1- 17
- Connet P, Beck J., Micklem HS. (2010) *The Case Against Fluoride*. Chelsea Green Publishing, White River Junction, Vermont.
- Connett M, Limeback H. 2008. Fluoride and its effect on human intelligence. A systematic review. International Association for Dental Research 83rd General Session and Exhibition. Toronto, Canada. Poster 2205. July 4.

- Coplan MJ, Patch SC, Masters RD, Bachman MS (2007) Confirmation of and explanations for elevated blood lead and other disorders in children exposed to water disinfection and fluoridation chemicals. *NeuroToxicology* 28:1032–1042
- Cross D.W. et al. Fluoridation: a violation of medical ethics and human rights. *Fluoridation and Human rights*. Vol 9n° 1, Jan/Mar 2003. p 24-29
- Cui J. et al. Fractional polynomials and model selection in generalized estimating equations analysis, with an application to a longitudinal epidemiologic study in Australia. *Am J Epidemiol* 2009; 169:113-121
- Cury J.A. et al. The Importance of Fluoride Dentifrices to the Current Dental Caries Prevalence in Brazil *Braz Dent J* (2004) 15(3): 167-174 Fluoride dentifrices and caries decline in Brazil 167
- Das J. et al. Taurine provides antioxidant defense against NaF-induced cytotoxicity in murine hepatocytes. *Pathophysiology* 15 (2008) 181–190
- Das S. et al. Fluoride-Induced Immunotoxicity in Adult Male Albino Rat: A Correlative Approach to Oxidative Stress. *Journal of Immunotoxicology*, 3:49–55, 2006
- De Costa JB, Mazur RF. Effects of new formulas of bleaching gel and fluoride application on enamel microhardness: an in vitro study. *Operative Dentistry*, 2007, 32-6, 589-594
- Dean HT, Arnold FA, Elvovoe. E (1942) Domestic water and dental caries. *Public Health Rep* 57:1155 – 79
- Ding Y. et al. (2010) The relationships between low levels of urine fluoride on children's intelligence, dental fluorosis in endemic fluorosis areas in Hulunbuir, Inner Mongolia, China. *J. Hazard Mater.* Feb 28;186(2-3):1942-6
- Do L.G., A.J. Spencer. Decline in the prevalence of dental fluorosis among South Australian children. *Community Dent Oral Epidemiol* 2007; 35:282-291
- Do L.G., Spencer A. Oral Health-Related Quality of Life of Children by Dental Caries and Fluorosis Experience. *Journal of Public Health Dentistry*, Vol. 67, No. 3, pp. 132-139. Summer 2007
- Do LG et al. Risk-Benefit Balance in the Use of Fluoride among Young Children. *J Dent Res* 2007; 86; 723
- Douglass C.W et al. Caution needed in fluoride and osteosarcoma study. *Cancer Causes Control* (2006) 17:481–482
- Downer M.C. et al. Dental caries experience of British children in an international context. *Community Dental Health* (2005) 22, 86-93
- Du L. et al., The Effect of Fluorine on the Developing Human Brain, *Fluoride* 41, no. 4 (2008): 327-30
- EFSA (2005) Scientific Opinion of the Panel on Dietetic Products, Nutrition, and Allergies (NDA) on the tolerable upper intake level of fluoride. *The EFSA Journal* 192, 1-65.

- EFSA (2008a) Opinion of the Panel on Food Additives and Nutrient Sources added to Food on Calcium fluoride as a source of fluoride added for nutritional purposes to food The EFSA Journal 882, 1-15
- EFSA (2008b) Scientific Opinion of the Panel on Food Additives and Nutrient Sources added to Food on Sodium monofluorophosphate as a source of fluoride added for nutritional purposes to food supplements. The EFSA Journal 886, 1-18
- EFSA (2010) Statement of EFSA on the possible risks for public and animal health from the contamination of the feed and food chain due to possible ash-fall following the eruption of the Eyjafjallajökull volcano in Iceland – urgent advice. The EFSA Journal 8 (4), 1593.
- Ellewood R, Fejerskov O, Cury JA, Clarkson B. (2008) Fluorides in caries control. IN: Dental Caries. Eds O Fejerskov & E. Kidd Blackwell Munksgaard Chapter 18
- Erdal S and Buchanan SN (2005) A Quantitative Look at Fluorosis, Fluoride Exposure, and Intake in Children Using a Health Risk Assessment Approach. Environ. Health Perspect. 113:111–7.
- Ersin N.K. et al. Effectiveness of 2-year application of school-based chlorhexidine varnish, sodium fluoride gel and dental health education programs in high-risk adolescents. Quintessence Int 2008;39:178.e45-51
- European Commission 1998. Directive 98/8/EC Of The European Parliament And Of The Council of 16 February 1998 concerning the placing of biocidal products on the market, Official Journal of the European Communities L 123/1
- European Commission 2001. European Union – Risk Assessment Report on Hydrogen Fluoride, Office for Official Publications of the European Communities, ISBN 92-894-0485-X, 135pp.
- European Commission. DG SANCO – C7. meeting with Ms Kathy Sinnott, MEP (ID), S. Ireland. Fluoride in drinking water. 15 April 2008
- EUSES (2003) Uniform System for the Evaluation of Substances 2.1 (EUSES 2.1) National Institute of Public Health and the Environment (RIVM), Ministry of Housing, Spatial Planning and the Environment (VROM), Ministry of Health, Welfare and Sports (VWS), The Netherlands.
- Expert Body. Review of Evidence on Osteosarcoma and Fluoridation of Drinking Water, 14 June 2006
- Eyre R, Feltbower RG, Mubwandarikwa E, Eden TO, McNally RJ (2009) Epidemiology of bone tumours in children and young adults; *Pediatr Blood Cancer*. 53:941-52. Review.
- Fagin D. Second thoughts about fluoride: new research indicates that a cavity-fighting treatment could be risky if overused. *Scientific America* 2008:58-65
- Fejerskov O. Changing Paradigms in Concepts on Dental Caries: Consequences for Oral Health Care. *Caries Res* 2004;38:182–191

- Feltman R, Kosel G -"Prenatal and Postnatal Ingestion of Fluorides - Fourteen Years of Investigation - Final Report" J Dent Med 16:190-199 (1961)
- Fewtrell L. et al. An attempt to estimate the global burden of disease due to fluoride in drinking water. Journal of Water and Health 04.4, 2006, 533-542
- Finney WF. Wilson Erin, Callender, Morris MD, Beck LW (2006) Reexamination of Hexafluorosilicate Hydrolysis by <sup>19</sup>F NMR and pH Measurement, Environ. Sci. Technol., 40, 2572-2577
- Flora S. J. et al., Co-exposure to Arsenic and Fluoride on Oxidative Stress, Glutathione Linked Enzymes, Biogenic Amines and DNA Damage in Mouse Brain," Journal of the Neurological Sciences 285, no. 1–2 (2009): 198–205.
- Fomon S, Ekstrand J. (1999) Fluoride intake by infants. J Publ Health Dent. Vol 59 (No 4):229 – 234
- Fordyce F.M. A health risk assessment for fluoride in Central Europe. Environ Geochem Health (2007) 29:83–102
- Forsman B (1977) Early supply of fluoride and enamel fluorosis. Scand J Dent Res. 85:22-30.
- Forum on Fluoridation Ireland Report (2002) Presented to Micheál Martin TD, Minister for Health and Children. ISBN: 0755-711-572
- Franzman M.R. et al; Fluoride dentifrice ingestion and fluorosis of the permanent incisors. J Am Dent Assoc 2006;137;645-652
- Gao Q. et al., Oxidative Stress Might be a Mechanism Connected with the Decreased  $\alpha 7$  Nicotinic Receptor Influenced by High-Concentration of Fluoride in SH-SY5Y Neuroblastoma Cells," Toxicology in Vitro 22, no. 4 (2008): 837–43.
- Gao Q et al., "Decreased Learning and Memory Ability in Rats with Fluorosis: Increased Oxidative Stress and Reduced Cholinesterase Activity," Fluoride 42, no. 4 (2009): 277–85
- García-Montalvo, E.A. et al., Fluoride Exposure Impairs Glucose Tolerance Via Decreased Insulin Expression and Oxidative Stress, Toxicology 263 (2009): 75–83.
- Gardner EJ et al. Black tea – helpful or harmful? A review of the evidence. European Journal of Clinical Nutrition (2007) 61, 3–18
- Ge Y, et al., Comet Assay of DNA Damage in Brain Cells of Adult Rats Exposed to High Fluoride and Low Iodine, Fluoride 38, no. 3 (2005): 209–14
- Ge Y. et al., Apoptosis in Brain Cells of Offspring Rats Exposed to High Fluoride and Low Iodine, Fluoride 39, no. 3 (2006): 173–78
- Ge Y. et al., Proteomic Analysis of Brain Proteins of Rats Exposed to High Fluoride and Low Iodine," Archives of Toxicology (2010) 85:27-33
- Griffin S.O. et al. Effectiveness of Fluoride in Preventing Caries in Adults. J Dent Res 2007; 86; 410

- Groves B. Fluoride. Drinking ourselves to death? 2001 Newleaf. ISBN 0-7171-3274-9
- Guan ZZ, et al. 1998. Influence of chronic fluorosis on membrane lipids in rat brain. *Neurotoxicology and Teratology*. 20(5):537-542. Sep-Oct.
- Guo X, et al., A Preliminary Investigation of the IQs of 7–13 Year Old Children from an Area with Coal Burning-Related Fluoride Poisoning, *Fluoride* 41, no. 2 (2008): 125–28
- Guo Z, He Y, Zhu Q. 2008. Research on the neurobehavioral function of workers occupationally exposed to fluoride. *Fluoride* 41(2)152-155. April-June 2008
- Gupta RS, Khan TI, Agrawal D, Kachhawa JB (2007) The toxic effects of sodium fluoride on the reproductive system of male rats *Toxicol Ind Health* 23:507-13
- Hallanger J.E. et al. Fluoride-Related Bone Disease Associated With Habitual Tea Consumption. *Mayo Clin Proc*. 2007;82(6):719-724
- Haneke K.E., Bonnie L. Carson B.L. Sodium Hexafluorosilicate and Fluorosilicic Acid. Review of Toxicological Literature. Prepared for Scott Masten, National Institute of Environmental Health Sciences, North Carolina. October 2001
- Hansard Written PQ 5/12/07 c192
- Harding M.A. Primary tooth fluorosis in 5-year-old schoolchildren in Ireland. *European Journal of Paediatric Dentistry*. 3/2005. 155-161
- Harndt E. Berlin, fluoridierung von trinkwasser. 29.11.1971
- He H. et al., The Effects of Fluorine on Human Fetus, *Fluoride* 41, no. 4 (2008):321-28
- Health Canada. 2009. Fluoride in Drinking Water. Document for public comment. September 2009
- Heller K.E. et al. Dental Caries and Dental Fluorosis at Varying Water Fluoride Concentrations. *Journal of Public Health Dentistry* Vol. 57, No. 3, pp. 136-143 Summer 1997
- Hellwig E. et al. Systemic versus Topical Fluoride Caries Res 2004;38:258–262
- Holgate ST, Sheldon TA. Interpreting the Newcastle fluoride bioavailability study. *BMJ* 2007; 335: 840-841
- Hong F. et al., Research on the Effects of Fluoride on Child Intellectual Development Under Different Environmental Conditions, *Fluoride* 41, no. 2 (2008): 156–60
- Hong L. et al. Fluoride Intake Levels in Relation to Fluorosis Development in Permanent Maxillary Central Incisors and First Molars. *Caries Res* 2006;40:494–500
- Hong L. et al. Fluoride Intake Levels in Relation to Fluorosis Development in Permanent Maxillary Central Incisors and First Molars. *Caries Res* 2006;40:494–500
- Hong L. et al. Association of Amoxicillin Use During Early Childhood With Developmental Tooth Enamel Defects, *Arch Pediatr Adolesc Med*. 2005;159:943-948

- Hoover RN, Devesa SS, Cantor KP, Fraumeni JF Jr. (1991) Time trends for bone and joint cancers and osteosarcomas in the Surveillance, Epidemiology, and End Results (SEER) Program, National Cancer Institute. Review of fluoride benefits and risks. Report of the Ad Hoc Subcommittee on Fluoride of the Committee to Coordinate Environmental Health and Related Problems. Washington, DC; DHHS p. F1-F7.
- Hopcraft M. et al. Dental caries experience in Australian army recruits 2002-2003. *Australian Dental Journal* 2005;50(1):16-20
- Hopcraft M. et al. Pattern of dental caries experience on tooth surfaces in a adult population. *Community Dent Oral Epidemiol* 2006;34:174-83
- Iida, H., and Kumar, J.V. 2009. The association between enamel fluorosis and dental caries in U.S. schoolchildren. *JADA* 140:855-862
- IPCS (2002) International Programme on Chemical Safety Environmental Health Criteria 227, Fluorides WHO
- Irish Expert Body on Fluorides and Health. Absence of an association between water fluoridation and thyroid disorders, 14 June 2006
- Irish Expert Body on Fluorides and Health. Code of Practice on the Fluoridation of Drinking Water. [www.fluoridesandhealth.ie](http://www.fluoridesandhealth.ie), 2007
- Irish Expert Body on Fluorides and Health. Code of practice on the fluoridation of drinking water. 2007. ISBN 978-0-9551231-1-5
- Irish Expert Body on Fluorides and Health. Fluoride and Public Health
- Irish Expert Body. Absence of an association between water fluoridation and thyroid disorders, 14 June 2006
- Isaacson RL, Varner, Jensen K. 1997. Toxin-induced blood vessel inclusions caused by the chronic administration of aluminum and sodium fluoride and their implications for dementia. *Ann NY Acad Sci.* 825:152-166. October 15.
- Ismail AI, Hasson H (2008) Fluoride supplements, dental caries and fluorosis: A systematic review. *J Am Dent Assoc.* 139:1457-68.
- Izquierdo-Vega JA, Sánchez-Gutiérrez M, Del Razo LM (2008) Decreased in vitro fertility in male rats exposed to fluoride-induced oxidative stress damage and mitochondrial transmembrane potential loss. *Toxicol Appl Pharmacol.* 230: 352-7.
- Jedra M. et al. Fluoride content of soft drinks produced in Poland. *Roczniki Panstwowego Zakladu Higieny*;2006, 57/3, 203-210.
- Jiang Q. et al. Effect of fluoride on expression of telomerase reverse transcriptase expression and proliferating cell nuclear antigen in germ cells of rats' testes. *Chinese Journal of Industrial Hygiene and occupational Diseases.* 2007 Feb;25(2):96-9
- Jobson MD, Grimm SE III, Banks K, Henley G (2000) The effects of water filtration systems on fluoride: Washington, DC metropolitan area. *ASDC J Dent Child* 67:350-4

- Jones S & Lennon K (2005) One in a million: facts about water fluoridation, 2nd edition. London: The British Fluoridation Society.
- Jones S. et al. The effective use of fluorides in public health. Bulletin of the World Health Organization | September 2005, 83 (9)
- Källestål C. The Effect of Five Years' Implementation of Caries-Preventive Methods in Swedish High-Risk Adolescents. Caries Res 2005;39:20–26
- Kaur T. et al., "Effect of Concurrent Chronic Exposure of Fluoride and Aluminum on Rat Brain," *Drug and Chemical Toxicology* 32, no. 3 (2009): 215–21
- Ketley C.E. et al. Urinary fluoride excretion by preschool children in six European countries. Community Dent Oral Epidemiol 2004; 32 (Suppl. 1):62-68
- Kirkeskov L, Kristiansen E, Bøggild H, von Platen-Hallermund F, Sckerl H, Carlsen A, Larsen MJ, Poulsen S (2010) The association between fluoride in drinking water and dental caries in Danish children: Linking data from health registers, environmental registers and administrative registers Community Dentistry Oral Epi. In Press
- Koga H. et al. Estimation of optimal amount of fluoride dentifrice for adults to prevent caries by comparison between fluoride uptake into enamel in vitro and fluoride concentration in oral fluid in vivo. Bull Tokyo Dent Coll (2007) 48 (3): 119-128
- Komarek A. et al. A Bayesian analysis of multivariate doubly-interval-censored dental data. Biostatistics (2005), 6, 1, 145–155.
- Koroglu BK et al. 2010. Serum Parathyroid Hormone Levels in Chronic Endemic Fluorosis. Biol Trace Elem Res. 2010 Sep 14.
- Krechniak J. and I. Inkielewicz, Correlations Between Fluoride Concentration and Free Radical Parameters in Soft Tissues of Rats, Fluoride 38, no. 4 (2005): 293–96
- Kulkeva M.P. et al. Dental investigations. Prevalence of dental fluorosis among 4 to 14-year-old children from the town of Dimitrovgrad (Bulgaria). Folia Medica, XLIX, 1&2/2007, 25-31
- Kumar J.V. Is Water Fluoridation Still Necessary? Adv. Dent. Res. 2008; 20; 8
- Kumar J.V. and Moss, M.E. Fluorides in dental public health programs. Dent. Clin. N. Am. (2008) 52: 387-401
- Kunzel W - "Influence of water fluoridation on the eruption of permanent teeth" Caries Res 10(2):96-103 (1976)
- Lalumandier J.A. et al. US drinking water: fluoridation knowledge level of water plant operators. J. Public Health Dentistry. Vol 61 n° 2, 2001. 92-98
- Leite A. de Lima et al. Absence of DNA damage in multiple organs (blood, liver, kidney, thyroid gland and urinary bladder) after acute fluoride exposure in rats. Human & Experimental Toxicology (2007) 26: 435-440

- Li J, Yao L, Shao Q, Wu C. (2008). Effects of high fluoride on neonatal neurobehavioural development. *Fluoride* 41(2):165–170
- Li X. S. et al. (1995) Effect of Fluoride Exposure on Intelligence in Children, *Fluoride* 28, no. 4: 189–92
- Li Y. et al. (2008) Effects of Endemic Fluoride Poisoning on the Intellectual Development of Children in Baotou,” *Fluoride* 41, no. 2: 161–64
- Li Y. et al. (2008) Report on the Intellectual Ability of Children Living in High-Fluoride Water Areas, *Fluoride* 41, no. 2: 144–47
- Li Y, et al. 2001. Effect of long-term exposure to fluoride in drinking water on risks of bone fractures. *J Bone Miner Res.* 16(5):932-9. May.
- Lin, F.F. Aihaiti, H. X. Zhao et al., (1991) The Relationship of a Low-Iodine and High- Fluoride Environment to Subclinical Cretinism in Xinjiang, Xinjiang Institute for Endemic Disease Control and Research; Office of Leading Group for Endemic Disease Control of Hetian Prefectural Committee of the Communist Party of China; and County Health and Epidemic Prevention Station, Yutian, Xinjiang, *Iodine Deficiency Disorder Newsletter* 7: 3,
- Liu Y.J. et al., “Alterations of nAChRs and ERK1/2 in the Brains of Rats with Chronic Fluorosis and their Connections with the Decreased Capacity of Learning and Memory,” *Toxicology Letters* 192, no. 3 (2010): 324–29
- Locker D. Benefits and risks of water fluoridation. An Update of the 1996 Federal-Provincial Sub-committee Report prepared under contract for Public Health Branch, Ontario Ministry of Health First Nations and Inuit Health Branch, Health Canada. November 15, 1999
- Long YG, Wang YN, Chen J, Jiang SF, Nordberg A, Guan ZZ. 2002. Chronic fluoride toxicity decreases the number of nicotinic acetylcholine receptors in rat brain. *Neurotoxicology and Teratology* 24:751-7.
- Lowry R, Steen N, Rankin J (2003) Water fluoridation, stillbirths, and congenital abnormalities. *J Epidemiol Community Health* 57:499-500.
- Lu, Y et al., (2000) Effect of High-Fluoride Water on Intelligence in Children, *Fluoride* 33, no. 2: 74–78,
- Ludlow M. et al. Effects of fluoridation of community water supplies for people with chronic kidney disease. *Nephrol Dial Transplant* (2007) 22: 2763–2767
- Luke J. Fluoride Deposition in the aged human pineal gland. *Caries Res* 2001;35:125-128
- Lynch RJM et al. Low levels of fluoride in plaque and saliva and their effects on the demineralisation and remineralisation of enamel; role of fluoride toothpastes. *Int Dent J* (2004) 64:304-309
- Maas, R.P., Patch, S.C., and Smith, A.M. 2005. Effects of Fluorides and Chloramines on Lead Leaching from Leaded-Brass Surfaces. Technical Report 05-142. Environmental Quality Institute, University of North Carolina, Asheville, NC. June 2005.

- Maas, R.P., Patch, S.C., Christian, A.-M., and Coplan, M.J. 2007. Effects of fluoridation and disinfection agent combinations on lead leaching from leaded-brass parts *NeuroToxicology* 28:1023-1031.
- Machiulskiene V. et al. Prevalence and extent of dental caries, dental fluorosis and developmental enamel defects in Lithuanian teenage populations with different fluoride exposures. *Eur J Oral Sci* 2009; 117:154-160
- MacPherson L.M.D. et al. Photographic assessment of fluorosis in children from naturally fluoridated Kungsbacka and non-fluoridated Halmstad, Sweden. *Acta Odontologica Scandinavica*, 2007; 65: 149-155
- Madhusudhan N. et al. Effect of maternal fluoride exposure on developing CNS in rats: Protective role of Aloe Vera, Curcuma longa, and Ocimum Sanctum. *Ind. J. Exp. Biol.* 2010, 48:830-836.
- Madhusudhan N. et al., "Fluoride-induced Neuronal Oxidative Stress Amelioration by Antioxidants in Developing Rats," *Fluoride* 42, no. 3 (2009): 179–87
- Maguire A, Zohouri FV, Mathers JC, Steen IN, Hindmarch PN, Moynihan PJ (2005) Bioavailability of Fluoride in Drinking Water: a Human Experimental Study. *J Dent Res* 84:989-93
- Maguire et al. Fluoride intake and urinary excretion in 6- to 7-year-old children living in optimally, sub-optimally and non-fluoridated areas. *Comm Dent Oral Epidem* 2007; 35:479-488
- Mahajan R.K. et al. Analysis of physical and chemical parameters of bottled drinking water. *International Journal of Environmental Health Research*, 16:2,89 — 98
- Mahoney G. et al. Lifetime fluoridation exposure and dental caries experience in a military population. *Community Dent Oral Epidemiol* 2008;36:485-492
- Malinowska E. et al. Assessment of fluoride concentration and daily intake by human from tea and herbal infusions. *Food and Chemical Toxicology* 46 (2008) 1055–1061
- Mansfield P. (2010) Fluoride Consumption: The Effect of Water Fluoridation. *Fluoride* 43(4)223–231
- Marimon M.P.Casgrande et al. Anomalous fluoride concentration in groundwater – is it natural or pollution? A stable isotope approach. *Isotopes in Environmental and Health Studies*. Vol. 43, n° 2, June 2007, 165-175
- Marinho VC, Higgins JP, Logan S, Sheiham A (2002) Fluoride gels for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(2): CD002280.
- Marinho VC, Higgins JP, Logan S, Sheiham A (2003a). Fluoride mouthrinses for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(3): CD002284.
- Marinho VC, Higgins JP, Logan S, Sheiham A (2003b). Topical fluoride (toothpastes, mouthrinses, gels or varnishes) for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(4): CD002782.

- Marinho VC, Higgins JP, Sheiham A, Logan S (2003c) Fluoride toothpastes for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(1): CD002278.
- Marinho VC, Higgins JP, Sheiham A, Logan S (2004a). Combinations of topical fluoride (toothpastes, mouthrinses, gels, varnishes) versus single topical fluoride for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(1): CD002781.
- Marinho VC, Higgins JP, Sheiham A, Logan S (2004b). One topical fluoride (toothpastes, or mouthrinses, or gels, or varnishes) versus another for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev*(1): CD002780.
- Marshall TA et al. Associations between Intakes of Fluoride from Beverages during Infancy and Dental Fluorosis of Primary Teeth. *Journal of the American College of Nutrition*, Vol. 23, No. 2, 108–116 (2004)
- Marthaler T.M. Changes in Dental Caries 1953–2003 *Caries Res* 2004;38:173–181
- Marthaler TM (2005) Increasing the public health effectiveness of fluoridated salt. *Schweiz Monatsschr Zahnmed* 115: 785-92.
- Marthaler TM, Petersen PE (2005) Salt fluoridation-an alternative in automatic prevention of dental caries. *International Dental Journal*. 55:351-8
- Martinez M.A. et al. The tissue distribution of fluoride in a fatal case of self-poisoning. *Journal of Analytical Toxicology*. Vol. 31, 526-533, October 2007
- Martinez-Mier E.A. et al. Comparison of a dietary survey and the duplicate plate method for determining dietary fluoride ingested by young children: a pilot study. *Inter J Paediatric Dentistry* 2009; 19: 99-107
- Martins C.C. Prospective Study of the Association between Fluoride Intake and Dental Fluorosis in Permanent Teeth. *Caries Res* 2008;42:125–133
- Masters RD, et al. (2000). Association of silicofluoride treated water with elevated blood lead. *Neurotoxicology*. 21(6):1091-1099.
- Maupomé G. et al. Patterns of dental caries following the cessation of water fluoridation. *Comm Dent Oral Epidem* 2001; 29:37-47
- Maupomé G. et al. A Comparison of Dental Treatment Utilization and Costs by HMO Members Living in Fluoridated and Nonfluoridated Areas. *Dental Treatment and Fluoridation Status* 2007; 67:224-233.
- McDonagh M. et al. (2000). A systematic review on public water fluoridation. NHS Center for Reviews and Dissemination. York, UK, University of York: 259.
- Medical Research Council. Working Group report. Water fluoridation and Health. 2002. UK – London
- Meneghim M.C. Perception of dental fluorosis and other oral health disorders by 12-year-old Brazilian children. *International Journal of Paediatric Dentistry* 2007;17:205–210

- Metcalfe-Smith JL, Holtze KE, Sirota GR, Reid JJ and de Solla SR 2003. Toxicity of Aqueous and Sediment-associated Fluoride to Freshwater Organisms. *Environmental Toxicology and Chemistry*, Vol 22 no. 1 pp 161 – 166. pag 35
- Mittal M. et al. Effects of individual and combined exposure to sodium arsenite and sodium fluoride on tissue oxidative stress, arsenic and fluoride levels in male mice. *Chemico-Biological Interactions* 162 (2006) 128–139
- Momeni A et al. Prevalence of Dental Fluorosis in German Schoolchildren in Areas with Different Preventive Programmes. *Caries Res* 2007;41:437–444
- Moolenburgh H. Fluoride. The freedom fight. 1987. Mainstream Publishing – Great Britain. ISBN 1-85158-041-7
- Mullen J. History of Water Fluoridation (2005) *British dental Journal* 199:1-4.
- Narbutaite J. et al. Dental fluorosis and dental caries among 12-yr-old children from high- and low-fluoride areas in Lithuania. *Eur J Oral Sci* 2007; 115: 137-142
- Nasman P. et al. Drinking Water Fluoride Exposure and Risk of Hip Fracture. IADR/AADR/CADR 87th General Session and Exhibition, April 1-4, 2009
- National Advisory Committee on Oral Health. Healthy mouths healthy lives : Australia's national oral health plan 2004-2013. The National Library of Australia Cataloguing-in-Publication entry. July 2004
- National Health Medical Research Council (2007) A systematic review of the efficacy and safety of fluoridation. Canberra: National Health Medical Research Council. British Medical Association. [bma.org.uk](http://bma.org.uk)
- Neidell et al. The Association Between Community Water Fluoridation and Adult Tooth Loss, *American Journal of Public Health*, Published online ahead of print August 19, 2010
- Nayak B. et al. Health effects of groundwater fluoride contamination. *Clinical Toxicology* (2009) 47, 292-295
- Neurath, C. 2005. Tooth decay trends for 12 year olds in nonfluoridated and fluoridated countries. *Fluoride* 38:324-325.
- Neurath C., Connett P. Evidence supporting prioritizing fluoride for carcinogenicity hazard identification. American Environmental Health Studies Project and Fluoride Action Network. Submitted to the California OEHHA and Carcinogenicity Identification Committee. May 5, 2009
- NHS Dental Epidemiology Programme for England, Oral Health Survey of 5 year old Children 2007 / 2008, October 2009
- Niu R. et al, Effects of Fluoride and Lead on Locomotor Behavior and Expression of Nissl Body in Brain of Adult Rats, *Fluoride* 41, no. 4 (2008): 276–82

- Niu R. et al., Decreased Learning Ability and Low Hippocampus Glutamate in Offspring Rats Exposed to Fluoride and Lead, *Environmental Toxicology and Pharmacology* 28, (2009): 254–58
- Nohno K. et al. Fluoride Intake from Food and Liquid in Japanese Children Living in Two Areas with Different Fluoride Concentrations in the Water Supply. *Caries Res* 2006; 40:487–493
- NRC (National Research Council). 2006. Fluoride in Drinking Water: A Scientific Review of EPA's Standards. [<http://www.nap.edu/catalog/11571.html>]
- NRC (National Research Council). 2009. Emergency and Continuous Exposure Guidance Levels for Selected Submarine Contaminants: Volume 3. [[http://www.nap.edu/catalog.php?record\\_id=12741](http://www.nap.edu/catalog.php?record_id=12741)]
- Nuffield Council on Bioethics (2007) *Public Health: ethical issues*. London: Nuffield Council on Bioethics.
- O'Donnell D. et al. a study to examine the impact of exposure to fluoride in water on the oral health status of a sample of 16 year olds resident in two border regions of Ireland: the Western. Health and Social Services Board in Northern Ireland and the HSE North West region in the Republic of Ireland, 2006
- Office for National Statistics (2004) *Children's dental health in the United Kingdom, 2003. Summary Report*. London: Office for National Statistics.
- Oganessian E. et al. Is systemic fluoride supplementation for dental caries prevention in children still justifiable? *Prague Med report*. Vol 108 (2007) n° 4. p. 306-314
- Oliveira M.J.L et al. Fluoride Intake by Children at Risk for the Development of Dental Fluorosis: Comparison of Regular Dentifrices and Flavoured Dentifrices for Children. *Caries Res* 2007;41:460–466
- Oncu M. et al. Effect of chronic fluorosis on lipid peroxidation and histology of lung tissues in first and second generation rats. *Toxicology and Industrial Health* 2006; 22: 375-380
- Öncü M. et al. Effect of Long-term Fluoride Exposure on Lipid Peroxidation and Histology of Testes in First- and Second-generation Rats. *Biol Trace Elem Res* (2007) 118:260–268
- Opydo-Szymaczek J. et al. Variations in concentration of fluoride in blood plasma of pregnant women and their possible consequences for amelogenesis in a fetus. *Human Biology* 57 (2006) 295–307
- Ortiz-Pérez D, Rodríguez-Martínez M, Martínez F, Borja-Aburto VH, Castelo J, Grimaldo JI, de la Cruz E, Carrizales L, Díaz-Barriga F (2003) Fluoride-induced disruption of reproductive hormones in men. *Environ Res*. 93:20-30.
- Oruc N. Occurrence and problems of high fluoride waters in Turkey: an overview. *Environ Geochem Health* (2008) 30:315–323
- Osterman JW (1999) Evaluating the Impact of Municipal Water Fluoridation on the Aquatic Environment. *Am J Public Health* 80: 1230-1235.

- Osmunson (2007) Water fluoridation intervention: Dentistry's crown jewel or dark hour. *Fluoride* 40(4)214–221
- Palmer et al. Position of the American Dietetic association: The Impact of Fluoride on Health. *J Am Diet Assoc.* 2005;105:1620-1628.
- Parnell C., Whelton H., O'Mullane D (2009) Water fluoridation. *Eur Arch Paediatr Dent.* 10:141-8.
- Pereira M. et al., “Memory Impairment Induced by Sodium Fluoride is Associated with Changes in Brain Monoamine Levels, *Neurotoxicity Research*, (2009) 19:55-62.
- Petersen L.G. et al. Professional fluoride varnish treatment for caries control: a systematic review of clinical trials. *Acta Odontol Scand* 62 (2004) 177-176
- Petersen L.R. et al. Community Health Effects of a Municipal Water Supply Hyperfluoridation Accident. *AJPH* June 1988, Vol. 78, No. 6. 711-713
- Petersen P.E., World Health Organization global policy for improvement of oral health – World Health Assembly 2007. *WHO. International Dental Journal* (2008) 58, 115-121
- Petersen PE (2003) *The World Oral Health Report 2003: continuous improvement of oral health in the 21st century.* Geneva: World Health Organisation.
- Petersen PE. Et al. Effective use of fluorides for the prevention of dental caries in the 21st century: the WHO approach. *Comm Dent Oral Epidem* 2004; 32: 319-21
- Pizzo G. et al. Community water fluoridation and caries prevention: a critical review. *Clin Oral Invest* (2007) 11:189–193
- Pollick H.F. Water fluoridation and the environment: current perspective in the United States. *INT J Occup Environ Health* Vol 10/3 2004 345-350
- Pontigo-Loyola A.P. et al. Prevalence and severity of dental caries in adolescents aged 12 and 15 living in communities with various fluoride concentrations. *Journal of public Health Dentistry.* Vol. 67, n° 1, 2007, 8-13
- Psoter, W.J., Reid, B.C., and Katz, R.V. 2005. Malnutrition and dental caries: A review of the literature. *Caries Res.* 39:441-447
- Qin L. et al. Using the Raven's Standard Progressive Matrices to Determine the Effects of the Level of Fluoride in Drinking Water on the Intellectual Ability of School-Age Children, *Fluoride* 41, no. 2 (2008): 115–19
- Ramires I. et al. Fluoridation of the public water supply and prevalence of dental fluorosis in a peripheral district of the municipality of Bauru, SP. *J Appl Oral Sci.* 2006;14(2):136-41
- Ravindra, Khaiwal and Garg, Vinod K.(2006)'Distribution of fluoride in groundwater and its suitability assessment for drinking purpose',*International Journal of Environmental Health Research*,16:2,163 — 166

- Reddy R. Neurology of endemic skeletal fluorosis. *Neurology India* | Jan-Feb 2009 | Vol 57 | Issue 1. 7-12
- Reeves T.G. Technical aspects of water fluoridation in the United States and an overview of fluoridation engineering world-wide. *Community Dental Health* (1996) 13, supp 2, 21-26
- Ren D. et al. Study of the Intellectual Ability of 8–14 Year-Old Children in High Fluoride, Low Iodine Areas, *Fluoride* 41, no. 4 (2008): 319–20
- Rheinwald U. *Zahnkaries und fluoride – ein Diskussionsgespräch*. 139 S. Stuttgart: A.W. Gentner Verlag 1974
- Ribeiro D.A. et al. Ultrastructural morphometric analysis of ameloblasts exposed to fluoride during tooth development. *J Mol Hist* (2006) 37:361–367
- Richard LF, Westmoreland JT, Tashiro M, McKay CH, Morrision JT (1967) Determining optimum fluoride levels for community water supplies in relation to temperature. *J Am Dent Assoc* 74:389 -397
- Richards D. Fluoride has a beneficial effect on root caries Abstracted from Heijnsbroek M, Paraskevas S, Van der Weijden GA. Fluoride interventions for root caries: a review. *Oral Health Prev Dent* 2007; 5: 145–152. *Evidence-Based Dentistry* (2009) 10, 12
- Rocha-Amador D, Navarro ME, Carrizales L, Morales R, Calderón J (2007) Decreased intelligence in children and exposure to fluoride and arsenic in drinking water; *Cad. Saúde Pública, Rio de Janeiro*, 23 Sup 4:S579-S587
- Rodrigues M.H.C. et al. Dietary fluoride intake by children receiving different sources of systemic fluoride. *J Dent Res* 88(2):142-145, 2009
- Sagheri D. et al. The prevalence of dental fluorosis in relation to water or salt fluoridation and reported use of fluoride toothpaste in school-age children. *European Archives of Paediatric Dentistry*//8(1).2007. 62-68
- Salanti G, Marinho V, Higgins JP (2009) A case study of multiple-treatments meta-analysis demonstrates that covariates should be considered. *J Clin Epidemiol*. 62: 857-64
- Salve P.R. et al. A study on major inorganic ion composition of atmospheric aerosols. *J. Environ. Biol.* 28(2), 241-244 (2007)
- Sanderson D (1998) *Water fluoridation - an economics perspective*. University of York: York Health Economics Consortium.
- Sarkar, S. Das (Sarkar) et al. Management of fluoride induced testicular disorders by calcium and Vitamin-E co-administration in the albino rat. *Reproductive Toxicology* 22 (2006) 606–612
- Sawan, R.M.M., Leite, G.A.S., Saraiva, M.C.P., Barbosa, F. Jr., Tanus-Santos, J.E., and Gerlach, R.F. 2010. Fluoride increases lead concentrations in whole blood and in calcified tissues from lead-exposed rats. *Toxicology* 271(1-2):21-26.

- Schuld A. Is dental fluorosis caused by thyroid hormone disturbances? *Fluoride* 2005; 38(2):91–94 Guest editorial 91
- Schulz C, Conrad A, Becker K, Kolossa-Gehring M, Seiwert M, Seifert B (2007) Twenty years of the German Environmental Survey (GerES): human biomonitoring--temporal and spatial (West Germany/East Germany) differences in population exposure. *Int J Hyg Environ Health* 210(3-4): 271-97
- Scientific Committee on Consumer Products (SCCP) (2005) Opinion SCCP/0882/05 on the safety of fluorine compounds in oral hygiene products for children under the age of 6 years, 20 September 2005
- Scientific Committee on Consumer Products (SCCP) (2009) Clarification on the Opinions SCCNFP/0653/03 and SCCP/0882/05 on the Safety of Fluorine Compounds in Oral Hygiene Products for Children under the Age of 6 Years, 21 January 2009 [http://ec.europa.eu/health/ph\\_risk/committees/04\\_sccp/docs/sccp\\_o\\_169.pdf](http://ec.europa.eu/health/ph_risk/committees/04_sccp/docs/sccp_o_169.pdf)
- Scientific Committee on Consumer Products (SCCP). Opinion on the safety of fluorine compounds in oral hygiene products for children under the age of 6 years (doc n° SCCP/0882/05. Adopted by the SCCP during the 5th plenary meeting of 20 September 2005
- Scientific Committee on Food (1996) Opinion on arsenic, barium, fluoride, boron and manganese in natural mineral water.
- Scientific Committee on Food (2003) Report on the Revision of Essential Requirements of Infant Formulae and Follow-on Formulae, adopted on 4 April 2003 [http://ec.europa.eu/food/fs/sc/oldcomm7/out09\\_en.html](http://ec.europa.eu/food/fs/sc/oldcomm7/out09_en.html)
- Seppa, L, Karkkainen, S Hausen, H (2000a) Caries trends 1992-1998 in two low-fluoride Finnish towns formerly with and without fluoridation. *Caries research* 34(6): 462-8.
- Seppa, L, Karkkainen, S Hausen, H (2000b) Caries in the primary dentition, after discontinuation of water fluoridation, among children receiving comprehensive dental care. *Community dentistry and oral epidemiology* 28(4): 281-8
- Seraj D. et al., “Effect of High Fluoride Concentration 3 in Drinking Water on Children's Intelligence,” *Journal of Dental Medicine* 19, no. 2 (2007): 80–86. Note: English translation forwarded by lead author (B. Seraj, Department of Pediatric Dentistry, Faculty of Dentistry, Tehran University of Medical Sciences), <http://fluoridealert.org/scher/seraj-2007.trans.pdf>
- Shan KR, Qi XL, Long YG, Wang YN, Nordberg A, Guan ZZ. 2004. Decreased nicotinic receptors in PC12 cells and rat brains influenced by fluoride toxicity—a mechanism relating to a damage at the level in post-transcription of the receptor genes. *Toxicology* 200: 169–177.
- Shanthakumari D. et al. Effect of fluoride intoxication on the levels of intestinal antioxidants studied in rats. *Methods Find Exp Clin Pharmacol* 2007, 29(2): 93-99
- Sharma R. et al. Fluoride Induces Endoplasmic Reticulum Stress and Inhibits Protein Synthesis and Secretion. *Environ Health Perspect* 116:1142–1146 (2008)

- Shashi A. et al. Incidence of skeletal deformities in endemic fluorosis. *TROPICAL DOCTOR* 2008; 38: 231–233
- Shi X, Zhuang P, Zhang L, Feng G, Chen L, Liu J, Qu L, Wang R (2009) The bioaccumulation of fluoride ion (F<sup>-</sup>) in Siberian sturgeon (*Acipenser baerii*) under laboratory conditions *Chemosphere* 75:376-80
- Short EM - "Domestic water and dental caries. VI. The relation of fluoride domestic waters to permanent tooth eruption" *J Dent Res* 23:247-255 (1944)
- Sigurjons H. et al. Perental perception of fluorosis among 8-year-old children living in three communities in Iceland, Ireland and England. *Comm Dent Oral Epidem* 2004; 32 (Suppl. 1):34-38
- Singer L and Armstrong WD (1977) Fluoride in treated sewage and in rain and snow. *Arch Environ Health.* 32:21-3.
- Singer L, Ophaug R (1979) Total Fluoride Intake of Infants *Pediatrics* 63: 460-6
- Singh B. et al. Fluoride in drinking water and human urine in Southern Haryana, India. *Journal of Hazardous Materials* 144 (2007) 147–151
- Singh K.A. et al. Effects of Water Fluoride Exposure at Crown Completion and Maturation on Caries of Permanent First Molars. *Caries Res* 2007; 41:34–42
- Singh KA et al. Relative effects of pre- and post-eruption water fluoride on caries experience by surface type of permanent first molars. *Comm Dent Oral Epidem* 2004; 32: 435-46
- Sofuoglu S.C. et al. An exposure and risk assessment for fluoride and trace metals in black tea. *Journal of Hazardous Materials* 158 (2008) 392–400.
- Sohn, W., Noh, H., and Burt, B.A. 2009. Fluoride ingestion is related to fluid consumption patterns. *J. Public Health Dentistry* 69(4):267-275
- Specer A.J. et al. Changing risk factors for fluorosis among South Australian children. *Community Dent Oral Epidemiol* 2008; 36: 210-218
- Spencer AJ, et al. (1996). Water fluoridation in Australia. *Community Dental Health* 13(Suppl 2): 27-37.
- Spittle B. Fluoride fatigue. Fluoride poisoning: is fluoride in your drinking water – and from other sources – making you sick? Revised 3rd printing. Pua Press. 2008. New Zealand. ISBN 978-0-473-13092-3
- Stationary Office. Forum on fluoridation. Ireland 2002
- Sun Z.R. et al., Effects of High Fluoride Drinking Water on the Cerebral Functions of Mice, *Fluoride* 41, no. 2 (2008): 148–51
- Susheela A.K. A treatise on fluorosis. Revised 3rd edition 2007. Fluorosis Research and Rural Development Foundation. Delhi – India

- Susheela A.K. et al. Fluorosis: an easily preventable disease through practice of interventions. Doctors' handbook. 2005. Fluorosis Research and Rural Development Foundation. Delhi – India
- Susheela, A.K., Bhatnagar, M., Vig, K., and Mondal, N.K. 2005. Excess fluoride ingestion and thyroid hormone derangements in children living in Delhi, India. *Fluoride* 38:98-108
- Szelag J - "Evaluation of the effects of various fluoride concentrations in drinking water and atmospheric air on permanent teeth eruption in children aged 12 years" *Czas Stomatol* 43(3):154-9 (1990)
- Tang Q-Q. et al. Fluoride and Children's Intelligence: A Meta-analysis. *Biol Trace Elem Res* (2008) 126:115–120
- Tavener J.A. et al. The Prevalence and Severity of Fluorosis in Children Who Received Toothpaste Containing either 440 or 1,450 ppm F from the Age of 12 Months in Deprived and Less Deprived Communities. *Caries Res* 2006; 40:66–72
- Teotia S.P.S. & M. Nutritional bone disease in Indian population. *Indian J Med Res* 127, March 2008, pp 219-228
- TGD, 2003. Technical Guidance Document on Risk Assessment in support of Commission Directive 93/67/EEC on Risk Assessment for new notified substances Commission Regulation (EC) No 1488/94 on Risk Assessment for existing substances Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market
- The Stationery Office Dublin. Fluoridation of water supplies Regulations 2007. Statutory Instrument S.I. No. 42 of 2007
- Tickner, J., and Coffin, M. 2006. What does the precautionary principle mean for evidencebased dentistry? *Journal of Evidence-Based Dental Practice* 6(1):6-15
- Trivedi, R. J. Verma, N. J. Chinoy et al., Effect of High Fluoride Water on Intelligence of School Children in India, *Fluoride* 40, no. 3 (2007): 178–83
- Truman, BI, Gooch, BF, Sulemana, I, Gift, HC, Horowitz, AM, Evans, CA, Griffin, SO Carande-Kulis, VG (2002) Reviews of evidence on interventions to prevent dental caries, oral and pharyngeal cancers, and sports-related craniofacial injuries. *American journal of preventive medicine* 23(1 Suppl): 21-54.
- Tseng CC, Chen RS, Guo MK, Hsieh CC, Hong YC - "Influence of water fluoridation on the eruption of permanent teeth in Chung-Hsing New Village, Taiwan" *Taiwan I Hsueh Hui Tsa Chih* 88(3):272-7 (1989)
- Tsunoda M. et al., Changes in Fluoride Levels in the Liver, Kidney, and Brain and in Neurotransmitters of Mice after Subacute Administration of Fluorides, *Fluoride* 38, no. 4 (2005): 284–92
- Twetman S, Petersson L, Axelsson S, Dahlgren H, Holm AK, Källestål C, Lagerlöf F, Lingström P, Mejäre I, Nordenram G, Norlund A, Söder B. Caries-preventive effect of sodium fluoride

- mouthrinsese: a systematic review of controlled clinical trials. *Acta Odontol Scan* 62 (2004) 223-230
- Twetman S. (2009) Caries prevention with fluoride toothpaste in children: an update. *Eur Arch Paediatr Dent*. 10:162-7.
- UK-COT, (2003) Committee on toxicity of chemical in food, consumer products and the environment. COT Statement on fluorine in the 1997 total diet study. September 2003.
- UK-CRD 2003 Center for reviews and dissemination. What the 'York review' on the fluoridation of drinking water really found. In: York U, editor. York, UK,
- UK-DoH (Department of Health) (1994) Dietary reference values for food energy and nutrients for the United Kingdom. Report of the Panel on Dietary Reference Values of the Committee on Medical Aspects of Food Policy. London, Stationary Office.
- Urbansky E.T. Fate of Fluorosilicate Drinking Water Additives. *Chem. Rev.* 2002, 102, 2837-2854
- Urbansky ET, Schock MR (2000) Can Fluoridation Affect Lead(II) in Potable Water? Hexafluorosilicate and Fluoride Equilibra in Aqueous Solution. *International Journal of Environmental Studies* 57: 597-637.
- US Centres for Disease Control and Prevention. The Community Guide – Systematic Reviews and Evidence-based Recommendations. Chapter 7: Oral Health. 2002
- US Department of Health and Human services, Public Health Service Agency for Toxic Substances and Disease Registry. Toxicological Profile for Fluorides, hydrogen fluoride and fluorine; September 2003
- USEPA (U.S. Environmental Protection Agency). 2004b. Lead and compounds (inorganic) (CASRN 7439-92-1). Integrated Risk Information System, U.S. Environmental Protection Agency [online]. [Available: <http://www.epa.gov/ncea/iris/subst/0277.htm>]
- USEPA (U.S. Environmental Protection Agency). 2009. 2009 Edition of the Drinking Water Standards and Health Advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water, EPA 822-R-09-011. [Available: <http://water.epa.gov/action/advisories/drinking/upload/dwstandards2009.pdf>]
- US-IOM (Institute of Medicine) (1999) Dietary reference values for calcium, phosphorus, magnesium, Vitamin D and fluoride for the United Kingdom. Standing Committee on the Scientific Evaluation on Dietary Reference Intakes, Food and Nutrition Board, Washington, National Academy Press.
- US-NRC (2006) National Research Council Fluoride in drinking water A scientific review of EPA'S standard. The national Academic Press.
- Valdez-Jimenez et al. (2011) Effects of the fluoride on the central nervous system. *Neurologia*. 26(5):297-300

- Vallejos-Sanchez A.A. et al. Dental fluorosis in cohorts born before, during and after the national salt fluoridation program in a community in Mexico. *Acta Odontologica Scandinavica*, 2006; 64: 209-213
- Vallejos-Sánchez A.A. et al. Enamel defects, caries in primary dentition and fluoride sources: relationship with caries in permanent teeth. *Gac Sanit.* 2007;21(3):227-34
- Van Loveren C et al. Fluoride ingestion from toothpaste: fluoride recovered from the toothbrush, the expectorate and the after-brush rinses. *Comm Dent Oral Epidem* 2004; 32 (suppl. 1) 54-61
- Van Loveren C. Oral and Dental Health: Prevention of Dental Caries, Erosion, Gingivitis and Periodontitis. ILSI Europe. ILSI Europe. D/2009/10.996/12
- Van Rijkom H.M. et al. Caries-Inhibiting Effect of Professional Fluoride Gel Application in Low-Caries Children Initially Aged 4.5–6.5 Years. *Caries Res* 2004; 38: 115–123
- Vandana KL, and Reddy MS. 2007. Assessment of periodontal status in dental fluorosis subjects using community periodontal index of treatment needs. *Indian J. Dent. Res.* 18:67-71.
- Varner JA, Horvath WJ, Huie CW, Naslund HR, Isaacson RL. 1994. Chronic aluminum fluoride administration. I. Behavioral observations. *Behav Neural Biol.* May;61(3):233-41.
- Varner JA, Jensen KF, Horvath W, Isaacson RL. 1998. Chronic administration of aluminum-fluoride and sodium-fluoride to rats in drinking water: alterations in neuronal and cerebrovascular integrity. *Brain Research.* 784(-2):284-298. February 16.
- Villa et al. Fractional urinary fluoride excretion of young female adults during the diurnal and nocturnal periods. *Caries Research.* (2008) 42:275-281
- Virtanen JI, Bloigu RS, Larmas MA - "Timing of eruption of permanent teeth: standard Finnish patient documents" *Community Dent Oral Epidemiol* 22(5 Pt1):286-8 (1994)
- Viswanathan G. et al. Mapping of fluoride endemic areas and assessment of fluoride exposure. *Science of the Total Environment* 407 (2009) 1579 – 1587
- VOICE (Voice of Irish Concern for the Environment). Fluoridation of drinking water. Briefing notes for meeting of 15 April 2008 with Mr R. Madelin, Director General, DG SANCO. European Commission
- Waldbott GL et al. 1978. Fluoridation: The Great Dilemma. Coronado Press, Inc., Lawrence, Kansas.
- Walton BT & Conway RA, 1989. In: *Environmental Inorganic Chemistry: Properties, Processes, and Estimation Methods* (Society of Environmental Toxicology and Chemistry) Eds: Bodek I, Lyman WJ, Rehl WF & Rosenblatt DH. Pergamon Press, ISBN-13: 978-0080368337. pag 32
- Wang B. et al. Relationship between fluorine in drinking water and dental health of residents in some large cities in China. *Environment International* 30 (2004) 1067– 1073

- Wang G. et al., "A Study of the IQ Levels of Four- to Seven-Year-Old Children in High Fluoride Areas," *Fluoride* 41, no. 4 (2008): 340–43
- Wang S-X Wang SX, Wang ZH, Cheng XT, Li J, Sang ZP, Zhang XD, Han LL, Qiao XY, Wu ZM, Wang ZQ. (2007) Arsenic and Fluoride Exposure in Drinking Water: Children's IQ and Growth in Shanyin County, Shanxi Province, China. *Environ Health Perspect.* 115: 643-7
- Wang S. et al., "The Effects of Endemic Fluoride Poisoning Caused by Coal Burning on the Physical Development and Intelligence of Children," *Fluoride* 41, no. 4 (2008): 344–48
- Wann B. et al., "Effect of Olfactory Bulbectomy on Adenylyl Cyclase Activity in the Limbic System," *Brain Research Bulletin* 79, no. 1 (2009): 32–36
- Warren J.J. et al. Considerations on Optimal Fluoride Intake Using Dental Fluorosis and Dental Caries Outcomes – A longitudinal Study. *Journal of Public Health Dentistry.* Vol. 69, No. 2, Spring 2009. 111-115
- West Midlands Cancer Intelligence Unit, Osteosarcoma Incidence Trends In the West Midlands, April 2008
- Whelan A.M. et al. Natural health products in the prevention and treatment of osteoporosis: systematic review of randomized controlled trials. *Ann Pharmacother* 2006;40:836-49
- Whelton et al. North South Survey of Children's Oral Health in Ireland 2002. Department of Health and Children. Dublin 200630-01 07/07 (100) Brunswick Press Ltd. (19033)
- Whelton H, Crowley E, O'Mullane D, Donaldson M, Cronin M, Kelleher V (2006) Dental caries and enamel fluorosis among the fluoridated population in the Republic of Ireland and non fluoridated population in Northern Ireland in 2002. *Community Dent Health* 23:37-43.
- Whelton H. et al. Dental caries and enamel fluorosis among the fluoridated and non-fluoridated populations in the Republic of Ireland in 2002. *Community Dental Health* (2004) 21, 37–44
- Whelton H. et al. Fluoride intake in infants. For the Department of Health and Children, and Food Safety Authority of Ireland
- Whelton H.P. et al. A review of fluorosis in the European Union: prevalence, risk factors and aesthetic issues. *Community Den Oral Epidemiol* 2004; 32 (Suppl. 1): 9-18
- Whitford G, Sampaio F, Pinto C, Maria A, Cardoso V, Buzalaf M (2008) Pharmacokinetics of ingested fluoride: Lack of effect of chemical compound. *Arch Oral Biol* 53: 1037-41
- Whitford G.M. et al. Appetitive-based learning in rats: Lack of effect of chronic exposure to fluoride. *Neurotoxicology and Teratology* 31 (2009) 210–215
- Whiting P, MacDonagh M, Kleijnen J (2001) Association of Down's syndrome and water fluoride level: a systematic review of the evidence. *BMC Public Health* 1:6.
- WHO (2006) Guidelines for Drinking-water Quality. World Health Organization. Geneva,

- Whyte M.P. et al. Case report. Skeletal fluorosis from instant tea. *Journal of Bone and Mineral Research*. 2008. Vol 23, n° 5, 759-769
- Williams DM et al. Attitudes to fluorosis and dental caries by a response latency method. *Community Dent Oral Epidemiol* 2006; 34: 153–9
- Wilson PM, Sheldon TA. Muddy waters: evidence-based policy making, uncertainty and the ‘York review’ on water fluoridation. *Evidence & Policy* 2006: 321-331
- Wolfskehl O. Trinkwasserfluoridierung. 16.7.1971
- Wong et al. Topical fluoride as a cause of dental fluorosis in children, A Cochrane Review, 2010. Wiley Publications
- Wondwossen F. et al. Sociodemographic and behavioural correlates of severe dental fluorosis. *International Journal of Paediatric Dentistry*. 2006; 16:95-103
- World Health Assembly. Oral health: action plan for promotion and integrated disease prevention, agenda item 12.9, 16th WHA, 23 May 2007
- World Health Organisation (WHO) International standards for drinking water. Third edition. 1971.p. 35-36
- World Health Organization (2002) Environmental Health Criteria 227 - Fluorides. Geneva: World Health Organisation.
- Wu N. et al. (2008) Behavioral Teratology in Rats exposed to Fluoride, *Fluoride* 41: 129–133.
- Wu Y et al. (2010). Gene expression profiles of the incisor pulp tissue during fluorosis. *Int Endod J*. 2010 Aug;43(8):629-36.
- Wurtz T. et al. (2008) Fluoride at non-toxic dose affects odontoblast gene expression in vitro. *Toxicology* 249:26–34
- Xiang Q, et al. (2003a). Effect of fluoride in drinking water on children's intelligence. *Fluoride* 36(2):84-94
- Xiang Q, et al. (2003b). Blood lead of children in Wamiao-Xinhuai intelligence study. *Fluoride* 36(3):198-99.
- Xiang Q, et al. (2010). Serum Fluoride Level and Children's Intelligence Quotient in Two Villages in China. *Env. Health Persp.* (accepted for publication and withdrawn)
- Xiong XZ. et al. (2007) Dose–effect relationship between drinking water fluoride levels and damage to liver and kidney functions in children. *Environmental Research* 103:112–116
- Xu H. et al. (2008) Proteomic Analysis of Osteoblasts Exposed to Fluoride In Vitro. *Biol Trace Elem Res* 123:91–97
- Yadav A.K. et al. (2007) Determination of exposure and probable ingestion of fluoride through tea, toothpaste, tobacco and pan masala. *Journal of Hazardous Materials* 142: 77–80

- Yamazaki H. et al. (2007) Effect of Fluoride on Artificial Caries Lesion Progression and Repair in Human Enamel: Regulation of Mineral Deposition and Dissolution under In Vivo Like Conditions. *Arch Oral Biol.* 52(2): 110–120.
- Yan Q. et al. Micromolar Fluoride Alters Ameloblast Lineage Cells in vitro. *J DENT RES* 2007; 86; 336
- Yan X. et al Effects of sodium fluoride treatment in vitro on cell proliferation, apoptosis and caspase-3 and caspase-9 mRNA expression by neonatal rat osteoblasts. *Arch Toxicol* (2009) 83:451-458
- Yeung C.A. Fluoride prevents caries among adults of all ages. Is fluoride effective in preventing coronal caries in all adults and in older adults (40+ years) and in preventing root caries in the older group? How effective are the different fluoride delivery modes in preventing caries? *J Dent Res* 2007; 86: 410-415
- Yeung, CA, Hitchings, JL, Macfarlane, TV, Threlfall, AG, Tickle, M Glenny, AM (2005) Fluoridated milk for preventing dental caries. *Cochrane Database Syst Rev*(3): CD003876
- Yu R-A. et al. Effects of selenium and zinc on renal oxidative stress and apoptosis induced by fluoride in rats. *Biomedical and Environmental Sciences* 19, 439-444 (2006)
- Yu Y. et al., Neurotransmitter and Receptor Changes in the Brains of Fetuses from Areas of Endemic Fluorosis, *Fluoride* 41,no. 2 (2008): 134–138
- Zhang M. et al. Effects of fluoride on DNA damage, S-phase cell-cycle arrest and the expression of NF- $\kappa$ B in primary cultured rat hippocampal neurons. *Toxicology Letters* 179 (2008) 1–5
- Zhang M. et al. Effects of fluoride on the expression of NCAM, oxidative stress, and apoptosis in primary cultured hippocampal neurons. *Toxicology* 236 (2007) 208–216
- Zhang M. et al. Effects of Fluoride on DNA Damage, S-phase Cell-cycle Arrest and the Expression of NF-KappaB in Primary Cultured Rat Hippocampal Neurons, *Toxicology Letters* 179, no. 1 (2008): 1–5
- Zhang, R., Niu, Y., Du, H., Cao, X., Shi, D., Hao, Q., and Zhou, Y. 2009. A stable and sensitive testing system for potential carcinogens based on DNA damage-induced gene expression in human HepG2 cell. *Toxicology in Vitro* 23:158-165.
- Zhang Z. et al., Effect of Fluoride Exposure on Synaptic Structure of Brain Areas Related to Learning-memory in Mice, *Fluoride* 41, no. 2 (2008): 139–43
- Zhanh Y. et al. JNK/c-Jun signaling pathway mediates the fluoride-induced down-regulation of MMP-20 in vitro. *Matrix Biol.* 2007 October ; 26(8): 633–641.
- Zhao, L.B. et al. (1996), “Effect of High-Fluoride Water Supply on Children's Intelligence,” *Fluoride* 29, no. 4: 190–92
- Zhu W. et al., “Effects of Fluoride on Synaptic Membrane Fluidity and PSD-95 Expression Level in Rat Hippocampus,” *Biological Trace Element Research* (2010) 139:197-203
- Ziegelbecker R. (1981) Fluoridated water and teeth. *Fluoride* 14:123-128

- Ziegelbecker R. and R.C Ziegelbecker (1993) WHO data on data caries and natural water fluoride levels. *Fluoride* 26:263-266.
- Ziegelbecker R. and R.C Ziegelbecker (1970) A critical review of the fluorine caries problem. *Fluoride* 3:71-79.
- Ziegelbecker R. Comment on the Opinion of the Scientific Panel on Dietetic, Nutrition and Allergies on a request from the Commission related to the Tolerable Upper Intake Level of Fluoride (Request No EFSA-Q-2003-018) (adopted on 22 February 2005). Graz, 9.2.2006
- Ziegelbecker R. Comments and Scientific Critique on the report of the Working Group to consider Section 3.1 Essential Composition in the Proposed Draft Revised Standard for Infant Formula at (Step 3) Forum Für Verantwortbare Anwendung der Wissenschaft, Basel. 30 March 2003
- Ziegelbecker R. Compendium of Summaries, Excerpts, Statements (1969 - 2002) Publications, Papers, Hearings, Interviews in TV regarding the Application of Fluoride in the Prophylaxis of Dental Caries. A-8042 Graz, 18 March 2003
- Zohouri F.V. et al. Is the fluoride/creatinine ratio of a spot urine sample indicative of 24-h urinary fluoride? *Community Dent Oral Epidem* 2006; 34: 130-8
- Zohouri F.V. et al. Sources of dietary fluoride intake in 6-7 year-old English children receiving optimally, sub-optimally and non-fluoridated water. *Journal of Public Health Dentistry*. Vol. 66, n° 4, 2006, 227-234.