



European  
Commission

# HEALTH EQUITY PILOT PROJECT

## Slovakia

### Profile of socio-economic inequalities in alcohol, nutrition and physical activity





## CONTENTS

Summary .....	4
Introduction .....	5
Background Information .....	6
Inequalities in behaviours and outcomes.....	8
Lifecourse.....	14
a) Lifecourse stage - A good start in life .....	14
b) Lifecourse stage - Ages 11 to 15 .....	16
c) Lifecourse stage - Ages 15 to 24.....	21
d) Lifecourse stage - Adult behaviour.....	30
Annex .....	37

## SUMMARY

This report compares socio-economic inequalities relating to alcohol, nutrition and physical activity in Slovakia with gradients for the European Union as a whole.

To set this in context, life expectancy in Slovakia is less than that in the EU as a whole – differences of 4.4 and 2.9 years of life less than for the EU as a whole for men and women, respectively. Differences in healthy life expectancy are larger – around seven years less than for the EU as a whole for men and women, respectively. There are substantial income inequalities in Slovakia by level of educational attainment and life expectancy is strongly related to educational attainment – fifteen and seven year differences for men and women, respectively.

There are steep gradients in self perceived health by education for both men and women, steeper than for the EU as a whole, while those by income are less steep than that for the EU as a whole. Gradients in long term illness by education are also much steeper than those for the EU as a whole, while those by income are similar to the EU as a whole. Self-reported diabetes also decreases with increased education for both men and women, more steeply than for the EU as a whole.

Some of the differences in health and the behaviours that lead to these differences are apparent from early in life. Among women at ages 15 to 44, the principal reproductive ages, both obesity and pre-obesity are less common in those with tertiary education than other educational groups. At ages 11 to 15, boys and girls from high family affluence groups are much more likely to consume fruit and less likely to drink sugar sweetened beverages daily than those in low ones. At ages 15 to 16, the proportion of male students who drank alcohol in the previous month decreased with level of mother's education. Both male and female students whose mother's had tertiary education are less likely to report binge drinking than those in other maternal education groups. Girls whose mother's had low levels of education are least likely to report drinking at age 12 or less.

Among adults, fruit and vegetable consumption increase sharply with increased levels of educational attainment among both men and women, more sharply than for the EU as a whole. While physical activity outside work also increases in this way, the gradient is similar to that for the EU as a whole. In work physical activity is least among both men and women for those with tertiary education. Among women both obesity and pre-obesity decrease with level of educational attainment more sharply than for the EU as a whole. Among men, both obesity and pre-obesity are most common in those with intermediate levels of education. Daily alcohol consumption decreases with level of educational attainment for men, although the gradient is less steep than for the EU as a whole. Among women, heavy episodic drinking at least monthly increases slightly with increased level of educational attainment - less steeply than for the EU as a whole.

## INTRODUCTION

This report summarises the data that are available to compare socio-economic inequalities relating to alcohol, nutrition and physical activity in Slovakia with gradients for the European Union as a whole. It is based solely **on data sources harmonised across Member States, available on or before April 2018**, from data bases such as Eurostat and WHO European Health Information Gateway. All graphs and tables presented in this report relate **solely to data for Slovakia**.

Inequalities in life chances, behaviours and their health outcomes begin at the earliest stages in life, through intergenerational transmission, and accumulate across the life-course<sup>1</sup>. This observation provides two guiding principles for the structure of this report. First, the presentation of results is ordered according to the stages of the life course – from conditions in the womb through to adult behaviours. Second, both to reflect differentials that are established early in life and to achieve the greatest level of comparability, level of educational attainment is used as the principle measure of socio-economic variation in this report<sup>2</sup>. Other indicators, such as family affluence or income are used where this significantly extends the range of analyses possible.

---

<sup>1</sup> World Health Organization (2013) Review of Social Determinants of Health and the Health Divide in the WHO European Region: final report of a consortium chaired by Michael Marmot. WHO Regional Office for Europe, Copenhagen.

<sup>2</sup> Mackenbach, J.P. (2016), [\*Health Inequalities in Europe\*](#), Erasmus University Publishing, Rotterdam

## BACKGROUND INFORMATION

The average population of Slovakia during 2017 was 5.4 million, slightly over one percent of the figure for the European Union (EU) as a whole. Half of the population was aged under 39.8 years – the comparable figure for the EU was 42.8 years. Net migration was 0.7 per 1,000 population (2.4 for the EU as a whole). In terms of age dependency, the number aged under 15 or 65 and over was 43.8 percent of the figure for age 15 to 64 - the comparable figure for the EU was 53.9 per cent.

In 2016, life expectancy at birth was 73.8 years for males and 80.7 years for females – a gender gap of 6.9 years. Comparable figures for the EU were 78.2, 83.6 and 5.4 years. The comparable figures for healthy life years in Slovakia were 56.4, 57.0 and 0.6 years (i.e. women stayed healthier for slightly longer than men in Slovakia) and 63.5, 64.2 and 0.7 years for the EU. These figures meant that men in Slovakia could expect to spend 17.4 years in ill-health and women 23.7 years – a difference of 6.3 years. The comparable figures for the EU were 14.7 and 19.4 years – a difference of 4.7 years.

---


## INCOME INEQUALITY

### INEQUALITIES WITHIN COUNTRY

In terms of income inequality, the Gini coefficient was 24.3 for Slovakia compared to 30.8 for the EU. The fifth of the population with the highest incomes received 3.6 times the income of the lowest fifth – the ratio across the EU was 5.2.

Both equivalised mean and median income per household increased with level of educational attainment in 2016. Average equivalised household income was around 6,300 Euros higher for men with tertiary education than for those with lower levels of educational attainment. For women of this age the difference was around 4,200 Euros. The comparable differences in median income were 4,900 and 3,500 Euros, respectively.


### Equivalised mean income (pps) by level of educational attainment and sex, 2016



Sources, numbers and definitions: See Annex

COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE  
No figures are available for the EU as a whole.

### Equivalised median income (pps) by level of educational attainment and sex, 2016



Sources, numbers and definitions: See Annex

COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE  
No figures are available for the EU as a whole.

## INEQUALITIES IN BEHAVIOURS AND OUTCOMES


### HEALTH AND LIFE EXPECTANCY

#### LIFE EXPECTANCY

##### INEQUALITIES WITHIN COUNTRY

The data suggest there are clear social gradients across life expectancy in Slovakia for both men and women. The life expectancy of the least educated men is 15 years less than the most educated. For women, the gradient is less steep and the gap is seven years. However, even those men and women with tertiary education in Slovakia, life expectancy is below the respective EU averages for men and women.

#### Life expectancy at birth by level of educational attainment and sex, 2015



Sources, numbers and definitions: See Annex

##### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

No figures are available for the EU as a whole. Only 16 Member States report these data to Eurostat, of which three are for earlier years than 2015. In all these 16 Member States there are social gradients in life expectancy by educational attainment.




## SELF PERCEIVED HEALTH

### (a) By educational attainment

#### INEQUALITIES WITHIN COUNTRY

The data suggest there are clear social gradients in self-perception of good or very good health among both men and women in Slovakia by level of educational attainment. For both men and women, self-reported health of the least educated is 23 percentage points less than the most educated.

### Age standardised percentage with good or very good self-perceived health by level of educational attainment and sex, 2016



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


The data suggest there is a clear social gradient in self-perception of good or very good health in the EU as a whole. Self-reported health of the least educated men is 14 percentage points less than the most educated. For women, the gradient is slightly steeper with a gap of 16 percentage points.

### (b) By income

#### INEQUALITIES WITHIN COUNTRY

The data suggest there are clear social gradients in self-perception of good or very good health among both men and women in Slovakia by income quintile. For men and women, self-reported health of those in the lowest income quintile is 15 and 13 percentage points, respectively, less than those in the top income quintile.

### Age standardised percentage with good or very good self-perceived health by income quintile and sex, 2016



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The data suggest there is a clear social gradient in self-perception of good or very good health in the EU as a whole. Self-reported health of men in the lowest income quintile is 18 percentage points less than for those in the highest income quintile. For women, the gradient is similar with a gap of 19 percentage points.


#### LONGSTANDING ILLNESS OR HEALTH PROBLEMS

##### (a) By educational attainment

##### INEQUALITIES WITHIN COUNTRY

The data suggest there are clear social gradients in reporting a long-standing illness or health problem by both men and women in Slovakia by level of educational attainment. Reporting of a long-standing illness or health problem by the least educated men is 14 percentage points less than the most educated. Among women, the gradient is steeper and there is a gap of 19 percentage points.

### Age standardised percentage reporting a long-standing illness or health problem by level of educational attainment and sex, 2016



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


The data suggest that those with tertiary education are much less likely to report a long-standing illness or health problem than those with less educational attainment in the EU as a whole. Reporting of long-standing ill-health is four percentage points lower for the most educated men than for the least educated. For women, the gap is five percentage points.

#### (b) By income

##### INEQUALITIES WITHIN COUNTRY

The data suggest there is a clear social gradient in reporting a long-standing illness or health problem by women in Slovakia by income quintile. Self-reported long-standing ill-health by men in the lowest income quintile is 12 percentage points greater than for those in the top income quintile. Among men, there is no difference in reporting by the two lowest income quintiles, but reporting decreases with increased income thereafter, with a gap of 10 percentage points.

## Age standardised percentage reporting a long-standing illness or health problem by income quintile and sex, 2016



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


The data suggest there is a clear social gradient in reporting a long-standing illness or health problem in the EU as a whole. Self-reported long-standing ill-health in the lowest income quintile is 11 percentage points higher than for those in the highest income quintile, for both men and women.

### SELF REPORTING OF DIABETES

#### INEQUALITIES WITHIN COUNTRY

The data suggest there is a clear social gradient in self-reporting of diabetes in Slovakia by level of educational attainment. Self-reported diabetes among the least educated men is five percentage points greater than for the most educated. For women, the gradient is slightly steeper with a gap of seven percentage points.

### Age standardised percentage reporting diabetes by level of educational attainment and sex, 2014



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The data suggest that those with tertiary education are less likely to report having diabetes than those with less educational attainment in the EU as a whole. Reporting of diabetes is three percentage points lower for the most educated men than for the least educated. For women, the gap is four percentage points.

## LIFECOURSE


### A) LIFECOURSE STAGE - A GOOD START IN LIFE

#### WOMEN OVERWEIGHT AT FERTILE AGES 18 TO 44

##### INEQUALITIES WITHIN COUNTRY

Among overweight adults (BMI of 25 or more), the European Health Interview Survey (EHIS) separately identifies those who are obese (BMI of 30 or more) from those who are overweight but not obese (i.e. pre-obese with BMI of at least 25 but less than 30). Among women at ages 18 to 44 in Slovakia, both pre-obesity and obesity are less common among women with tertiary education than others.

#### Women overweight at ages 18-44 by educational attainment level, 2014



Sources, numbers and definitions: See Annex

##### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

For the EU as a whole, there is a social gradient in both pre-obesity and obesity among women aged 18 to 44. Among those with lower levels of educational attainment, 24.1 percent are pre-obese. This figure falls to 17.6 per cent among those with tertiary education. The comparable figures for obesity are 14.3 and 7.7 per cent.

#### INFANT MORTALITY

No EU harmonised data available by socio-economic status for Slovakia

##### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

There are social gradients across all but one of the nine countries in the EU for which data are available.

---

#### ALCOHOL CONSUMPTION DURING PREGNANCY

No EU harmonised data available by socio-economic status

---

#### FOETAL ALCOHOL SPECTRUM DISORDER

No EU harmonised data available by socio-economic status

---

#### BREAST FEEDING AND COMPLIMENTARY FEEDING

No EU harmonised data available by socio-economic status

---

#### SUGAR SWEETENED BEVERAGES IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status

---

#### SALT CONSUMPTION IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status

---

#### SATURATED FAT CONSUMPTION IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status

---

#### FRUIT CONSUMPTION IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status

---

#### VEGETABLE CONSUMPTION IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status

---

#### OVERWEIGHT IN EARLY CHILDHOOD

No EU harmonised data available by socio-economic status for Slovakia

#### INEQUALITIES IN THE EU AS A WHOLE

In the majority of the nine countries in the EU for which data are available, at ages four to seven, children whose mothers attained post-secondary education are less likely to be either obese or pre-obese than those whose mothers have lower levels of educational attainment.

## B) LIFECOURSE STAGE - AGES 11 TO 15

The Health Behaviour of School Age Children (HBSC) survey 2013/2014 is the principal source of information at ages 11 to 15. To derive their Family Affluence Scale (FAS) the survey used a six-item assessment of common material assets or activities. Responses were scored and summed to form a summary score.


Additional information is available from ESPAD on alcohol consumption and is presented in the next section.

### SUGAR SWEETENED BEVERAGES AT AGES 11 TO 15

#### INEQUALITIES WITHIN COUNTRY

The HBSC survey suggests that, at ages 11 to 15, girls in Slovakia from low family affluence groups are more likely than those from high family affluence groups to consume soft drinks at least once a day – a 10 percentage point difference. The difference for boys is not statistically significant.

#### **Percentage point difference in prevalence of drinking soft-drinks at least once a day between low and high family affluence groups at ages 11, 13 and 15, 2013/14**



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The HBSC survey does not provide estimates for the EU as a whole. However, soft drink consumption is significantly related to low family affluence for girls in nearly half of EU countries for which these data are available. For boys, the pattern differs between EU countries with few countries showing significant differences.



---

### SALT CONSUMPTION AT AGES 11 TO 15

No EU harmonised data available by socio-economic status

---

### SATURATED FAT CONSUMPTION AT AGES 11 TO 15

No EU harmonised data available by socio-economic status


---

### FRUIT CONSUMPTION AT AGES 11 TO 15

#### INEQUALITIES WITHIN COUNTRY

The HBSC data suggest that, among both boys and girls at ages 11 to 15 in Slovakia, daily fruit consumption is more common in those from high family affluence groups than in low family affluence groups. There are 11 and 16 percentage point difference for boys and girls, respectively.

#### **Percentage point difference in daily fruit consumption between low and high family affluence groups at ages 11, 13 and 15, 2013/14**



*Sources, numbers and definitions: See Annex*

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The HBSC survey does not provide estimates for the EU as a whole. However, fruit consumption is significantly related to family affluence across most EU countries for which these data are available.


---

## PHYSICAL ACTIVITY AT AGES 11 TO 15

### INEQUALITIES WITHIN COUNTRY

The HBSC data suggest that, among both boys and girls at ages 11 to 15 in Slovakia, daily moderate or vigorous physical activity is more common in those from high family affluence groups than in low family affluence groups. There are 10 percentage point differences for both boys and girls.

### **Percentage point difference in prevalence of reporting at least one hour of moderate or vigorous physical activity daily, between low and high family affluence groups at ages 11, 13 and 15, 2013/14**



*Sources, numbers and definitions: See Annex*

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The HBSC survey does not provide estimates for the EU as a whole. However, physical activity is significantly related to family affluence in around half of EU countries for which these data are available. In these countries it is more common among both boys and girls in high family affluence groups than in low ones.


---

## OVERWEIGHT AT AGES 11 TO 15

### INEQUALITIES WITHIN COUNTRY

The HBSC data show no statistically significant differences in the proportion overweight between low and high family affluence groups for boys and girls at ages 11 to 15 in Slovakia.

### Percentage point difference in those overweight between low and high family affluence groups at ages 11, 13 and 15, 2013/14



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The HBSC survey does not provide estimates for the EU as a whole. However, being overweight is significantly related to family affluence across most EU countries for which these data are available.


---

#### WEEKLY ALCOHOL CONSUMPTION AT AGES 11 TO 15

##### INEQUALITIES WITHIN COUNTRY

The HBSC data show no statistically significant differences in weekly use of alcohol by family affluence groups for boys and girls at ages 11 to 15 in Slovakia.

**Percentage point difference in weekly use of alcohol between low and high family affluence groups at ages 11, 13 and 15, 2013/14**



*Sources, numbers and definitions: See Annex*

**COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE**

The HBSC survey does not provide estimates for the EU as a whole. Weekly alcohol consumption is not significantly related to family affluence in the majority of EU countries for which these data are available.

## C) LIFECOURSE STAGE - AGES 15 TO 24

### ALCOHOL CONSUMPTION REPORTED AT AGES 15 AND 16

The main purpose of the European School Survey Project on Alcohol and Other Drugs (ESPAD) project is to collect comparable data on substance use among 15 to 16 year- old students in as many European countries as possible. The target group consists of students who turn 16 during the year of data collection, which in 2011 meant students born in 1995. The surveys are conducted in schools in the participating country, during the same period of time and using a common methodology.


The ESPAD survey is not conducted in all EU member States – no students are surveyed in Austria, Germany, Luxembourg and Spain. However, it does cover 23 Member States as well as Flanders (in Belgium). It is therefore possible to compare figures for Slovakia to the average for all survey participants in the EU.

### DRANK ALCOHOL IN THE LAST MONTH

#### INEQUALITIES WITHIN COUNTRY

The percentage of male students in Slovakia aged 15 to 16 years who drank alcohol in the preceding month decreased with increased maternal educational attainment. Female students whose mothers had lower levels of educational attainment were less likely than others to have drunk alcohol in the last month.

#### **Percentage of 15 and 16 year old students who drank alcohol in the last month by level of maternal educational attainment and sex, 2011**



Sources, numbers and definitions: See Annex

## COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


For both males and females, the percentage of participating EU students aged 15 to 16 years who drank alcohol in the preceding month was least among those whose mothers had a lower level of educational attainment.

## DRUNK IN LIFETIME

### INEQUALITIES WITHIN COUNTRY

The percentage of both male and female students aged 15 to 16 years who had ever been drunk in their lifetime was highest for those whose mothers had intermediate levels of educational attainment in Slovakia.

### Percentage of 15 and 16 year old students who had ever been drunk by level of maternal educational attainment and sex, 2011



Sources, numbers and definitions: See Annex

## COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


The percentage of participating EU students aged 15 to 16 years who had ever been drunk in their lifetime differed little by level of maternal educational attainment. For both males and females, it was slightly greater for those whose mothers had intermediate levels of educational attainment and slightly lower for those whose mothers had a tertiary education.

## HEAVY DRINKING IN THE LAST MONTH

### INEQUALITIES WITHIN COUNTRY

The percentage of both male and female students aged 15 to 16 years in Slovakia who had five or more drinks on one occasion in the previous month was less among those whose mothers had tertiary education than others.

### Percentage of 15 and 16 year old students who drank heavily on at least one occasion in the last month by level of maternal educational attainment and sex, 2011



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


The percentage of participating EU students aged 15 to 16 years who had five or more drinks on one occasion in the previous month decreased with increased level of maternal educational attainment, with a six percentage point difference between lower levels of maternal educational attainment and tertiary education for both males and females.

#### GOT DRUNK AT AGE 14 OR LESS

##### INEQUALITIES WITHIN COUNTRY

The percentage of male students aged 15 to 16 years in Slovakia who got drunk at age 14 or less was greatest for those whose mothers had intermediate levels of educational attainment. Among female students at these ages, by contrast, the percentage who got drunk at 14 or less was lowest for those whose mothers had intermediate levels of educational attainment.

### Percentage of 15 and 16 year old students who had ever been drunk at age 14 or less by level of maternal educational attainment and sex, 2011



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The percentage of participating EU students aged 15 to 16 years who got drunk at age 14 or less differed little by level of maternal educational attainment for both males and females. For both males and females, it was slightly greater for those whose mothers had intermediate levels of educational attainment and slightly lower for those whose mothers had a tertiary education.

---


#### FIRST DRANK ALCOHOL AT AGE 12 OR EARLIER

##### INEQUALITIES WITHIN COUNTRY

The percentage of female students aged 15 to 16 years in Slovakia who had first drunk alcohol at age 12 or less among those whose mothers had lower levels of educational attainment than others. For male students at these ages, by contrast, the highest percentage was for those whose mothers had lower levels of educational attainment.



### Percentage of 15 and 16 year old students who drank alcohol at age 12 or earlier by level of maternal educational attainment and sex, 2011



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

The percentage of participating EU students aged 15 to 16 years who had first drunk alcohol at age 12 or less decreased with increased level of maternal educational attainment. Among males and females, it was five and six percentage points, respectively, lower among those whose mothers had a tertiary education than among those whose mothers had lower levels of educational attainment.

#### DIET AND EXERCISE AT AGES 15 TO 24

The European Health Interview Survey (EHIS) is the principal source of information at ages 15 and over. The survey consists of four modules on health status, health care use, health determinants and socio-economic background variables. EHIS targets the population aged at least 15 and living in private households.

#### SUGAR CONSUMPTION AT AGES 15 TO 24

No EU harmonised data available by socio-economic status

#### SALT CONSUMPTION AT AGES 15 TO 24

No EU harmonised data available by socio-economic status

#### SATURATED FAT CONSUMPTION AT AGES 15 TO 24


No EU harmonised data available by socio-economic status

## FRUIT CONSUMPTION AT AGES 15 TO 24

### INEQUALITIES WITHIN COUNTRY

Data from EHIS show that, for both men and women aged 15 to 24 in Slovakia, daily fruit consumption is least common among those with intermediate levels of educational attainment and most common among those with lower levels of educational attainment (although many in this age group will not have attained their final lifetime level of education).

### **Fruit consumption at least daily at ages 15 to 24 by sex and educational attainment level, 2014**



*Sources, numbers and definitions: See Annex*

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


Data from EHIS for the EU as a whole suggest that there are consistent gradients in vegetable consumption among young men and women aged 15 to 24, with those who attained a tertiary level of education most likely to eat fruit at least daily. However, many in this age group will not have attained their final lifetime level of educational attainment.

## VEGETABLE CONSUMPTION AT AGES 15 TO 24

### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that there is a social gradient in daily vegetable consumption among women at ages 15 to 24 in Slovakia. The proportion consuming vegetables daily increases with level of educational attainment (although many in this age group will not have attained their final lifetime level of education). Among men at these ages, daily vegetable consumption is least common in those with intermediate levels of educational attainment.

## Vegetable consumption at least daily at ages 15 to 24 by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

Data from EHIS for the EU as a whole suggest that there are consistent gradients in vegetable consumption among young men and women aged 15 to 24, with those who attained a tertiary level of education most likely to eat fruit at least daily. However, many in this age group will not have attained their final lifetime level of educational attainment.


---

### PHYSICAL ACTIVITY AT AGES 15 TO 24

#### INEQUALITIES WITHIN COUNTRY

In the EHIS data, for both men and women at ages 15 to 24 in Slovakia, those with intermediate levels of educational attainment are less likely than others to engage in physical activity outside work and more likely to do so in work (although many in this age group will not have attained their final lifetime level of education).

## Work and non-work related physical activity at ages 15 to 24 by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

Physical activity recorded in EHIS shows no clear relationship between in-work physical activity and educational attainment level, at ages 15 to 24 across the EU as a whole. Those with intermediate levels of educational attainment are most likely to engage in moderate or heavy physical activity in-work and those with lower levels of attainment least likely to do so. Physical activity outside work is more common among young men with lower levels of educational attainment than among those with intermediate levels. For young women, the highest levels are among those who had attained a tertiary level of education at this age.

Physical activity outside work similarly shows no clear relationship with educational attainment level, at ages 15 to 24 across the EU as a whole. Those with intermediate levels of educational attainment are least likely to engage in significant physical activity outside work at these ages.


Many in this age group will not have attained their final lifetime level of educational attainment.

## OVERWEIGHT AT AGES 15 TO 24

### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that pre-obesity (equivalent to BMI of at least 25 but less than 30 at age 19) increases with level of educational attainment among women at ages 15 to 24 in Slovakia (although many in this age group will not have attained their final lifetime level of education). Among men at these ages, pre-obesity is less common among those with lower levels of educational attainment than among others while obesity decreases with level of educational attainment. Obesity (equivalent to BMI of at least 30 at age 19) is less common among women in Slovakia than it is among men at these ages.

### Overweight at ages 15 to 24 by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

In the EU as a whole, at ages 15 to 24, EHIS data suggest that both pre-obesity (equivalent to BMI of at least 25 but less than 30 at age 19) and obesity equivalent to (BMI of 30 or more at age 19) are generally more common among young men and women with intermediate levels of educational attainment than at other levels of attainment. Many in this age group will not have attained their final lifetime level of education.

## D) LIFECOURSE STAGE - ADULT BEHAVIOUR

### SUGAR CONSUMPTION IN ADULTS

No EU harmonised data available by socio-economic status

### SALT CONSUMPTION IN ADULTS

No EU harmonised data available by socio-economic status

### SATURATED FAT CONSUMPTION IN ADULTS


No EU harmonised data available by socio-economic status

### FRUIT CONSUMPTION AT AGES 18 AND OVER

#### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that there are social gradients in daily fruit consumption among both men and women at ages 18 and over in Slovakia. The proportions consuming fruit daily increases with level of educational attainment.

#### **Fruit consumption at least daily at ages 18 and over by sex and educational attainment level, 2014**



Sources, numbers and definitions: See Annex

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


Data from EHIS for the EU as a whole suggest that those with intermediate levels of educational attainment were least likely to eat fruit at least daily at ages 18 and over, with those who attained a tertiary level of education generally most likely to eat fruit at least daily.

## VEGETABLE CONSUMPTION AT AGES 18 AND OVER

### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that there are social gradients in daily vegetable consumption among both men and women at ages 18 and over in Slovakia. The proportions consuming vegetables daily increase with level of educational attainment.

### **Vegetable consumption at least daily at ages 18 and over by sex and educational attainment level, 2014**



*Sources, numbers and definitions: See Annex*

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


Data from EHIS for the EU as a whole suggest that those with intermediate levels of educational attainment were least likely to eat vegetables at least daily at ages 18 and over, with those who attained a tertiary level of education generally most likely to eat vegetables at least daily.

## PHYSICAL ACTIVITY AT AGES 18 AND OVER

### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that there are social gradients in physical activity outside work among both men and women at ages 18 and over in Slovakia. The proportions participating in physical activity outside work increase with level of educational attainment. For both sexes, in-work physical activity at these ages is most common among those with intermediate levels of education.

## Work and non-work related physical activity at ages 18 and over by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

In the EU as a whole, EHIS data suggest that for both men and women there is a marked social gradient in physical activity outside work – the proportion engaging in physical exercise outside work increases with increased levels of educational attainment. Physical activity at work among men and women, aged 18 and over, is most common among those with intermediate levels of educational attainment and least common among those with tertiary education.


## OVERWEIGHT AT AGES 18 AND OVER

### INEQUALITIES WITHIN COUNTRY

Data from EHIS suggest that there is a social gradient in both obesity (BMI of at least 30) and pre-obesity (BMI of at least 25 but less than 30) among women at ages 18 and over in Slovakia. The proportions in each of these categories decrease with increased level of educational attainment. Among men at these ages, both pre-obesity and obesity are more common in those with intermediate levels of education than at other levels of educational attainment.



## Adults overweight at ages 18 and over by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

For the EU as a whole, there is a social gradient for both men and women in both the proportion who are pre-obese (BMI of at least 25 but less than 30) and obese (BMI of 30 or more) based on EHIS data. That is to say, both decrease as level of educational attainment increases. Among men at this age, however, these differences in levels of pre-obesity by level of educational attainment are small.

---

### CORONARY HEART DISEASE INCIDENCE

No EU harmonised data available by socio-economic status

---

### CORONARY HEART DISEASE DEATHS

No EU harmonised data available by socio-economic status

---

### CANCER INCIDENCE

No EU harmonised data available by socio-economic status

---

### CANCER DEATHS

No EU harmonised data available by socio-economic status


---

### DAILY ALCOHOL CONSUMPTION AT AGES 18 AND OVER

#### INEQUALITIES WITHIN COUNTRY

Based on EHIS data, there is a social gradient in daily alcohol consumption by men at ages 18 and over in Slovakia. Prevalence decreases as level of educational attainment increases. Daily alcohol consumption is much less common among women than men at these ages.

## Daily alcohol consumption at ages 18 and over by sex and educational attainment level, 2014



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE


Based on EHIS data, among women aged 18 and over in the EU as a whole, there is a social gradient in the proportion drinking alcohol daily – the figure decreases with the level of education attained. Among men, while the proportion is highest among those with lower levels of educational attainment it is least among those with intermediate levels of educational attainment. The proportion of women drinking every day is around a third of the figure for men.

### HEAVY EPISODIC DRINKING AT AGES 18 AND OVER

#### INEQUALITIES WITHIN COUNTRY

Among men at ages 18 and over in Slovakia, EHIS data suggest that heavy episodic drinking at least monthly is least common in those with tertiary education. Prevalence is much less common among women than men at these ages, but increases slightly as level of educational attainment increases.

## Heavy episodic drinking at least monthly by sex, and educational attainment level at ages 18 and over



Sources, numbers and definitions: See Annex

### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

Based on EHIS data in the EU as a whole there are no clear social gradients in the proportion drinking heavily at least monthly for both sexes at ages 18 and over. While those with lower levels of educational attainment are markedly less likely than others to drink heavily at least monthly, proportions for those with intermediate levels of educational attainment are slightly higher than for those with tertiary education. The proportion of women drinking heavily at least monthly is less than half the proportion among men.

### ALCOHOL RELATED CAUTIONS AND ARRESTS

No EU harmonised data available by socio-economic status

### ALCOHOL RELATED DEATHS

No EU harmonised data available by socio-economic status

### RARHA ALCOHOL DATA

The EU Joint Action on Reducing Alcohol Related Harm Standardised European Alcohol Survey (RARHA SEAS) was a comprehensive survey of alcohol consumption and harm conducted in 17 EU countries and two non-EU countries. Survey data was gathered from representative samples of the general populations aged 18-64.

### DAILY ALCOHOL CONSUMPTION AT AGES 18 TO 64

No EU harmonised data available by socio-economic status in Slovakia

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

RARHA survey data for the 17 participant EU Member States suggest that there are clear social gradients by educational attainment in the proportions of both men and women aged between 18 and 64 who consume alcohol every day. The gradient is steeper for men than for women and, in each educational attainment category, the proportion of women who drink alcohol daily is less than that for men. Among women with lower levels of educational attainment the proportion drinking every day is less than a third of the figure for their male counterparts.

---

#### HEAVY EPISODIC DRINKING AT LEAST MONTHLY AT AGES 18 TO 64

No EU harmonised data available by socio-economic status in Slovakia

#### COMPARISON WITH INEQUALITIES IN THE EU AS A WHOLE

RARHA survey data for the 17 participant EU Member States suggest that there is a clear reverse social gradient in the proportion of women aged between 18 and 64 who drink heavily at least monthly. The proportion is least among women with lower levels of educational attainment and greatest among those with tertiary education. Among men the proportion is greatest among those with intermediate levels of educational attainment.

## ANNEX

### DATA FOR SLOVAKIA, SOURCES AND DEFINITIONS

#### INCOME INEQUALITY

**Income** is computed in EU SILC on the basis of the total equivalised disposable income attributed to each member of the household. The data (for each person) are ordered according to the value of the total equivalised disposable income.

#### Equivalised mean income in Euros (PPS) at ages 18 and over by level of educational attainment and sex, 2016

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	8,470	11,419	14,744	Mean equivalised household income (pps) for males and females aged 18 and over
Females	9,040	11,143	13,264	

Source: Eurostat, EU-SILC survey [ilc\_di08]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc\\_di08&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_di08&lang=en)

Accessed 23 March 2018

#### Equivalised median income in Euros (PPS) at ages 18 and over by level of educational attainment and sex, 2016

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	8,569	10,880	13,426	Median equivalised household income (pps) for males and females aged 18 and over
Females	8,839	10,585	12,335	

Source: Eurostat, EU-SILC survey [ilc\_di08]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc\\_di08&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=ilc_di08&lang=en)

Accessed 23 March 2018

#### HEALTH AND LIFE EXPECTANCY

##### Life expectancy at birth by level of educational attainment

**Life expectancy** represents the mean number of years still to be lived by a person, if subjected throughout the rest of his or her life to the current mortality conditions (age-specific probabilities of dying).

**Level of educational attainment** is defined according to the [International standard classification of education \(ISCED\)](#). The educational attainment level of an individual is the highest ISCED level successfully completed.

Educational attainment levels are presented for three main categories:

- Lower: Less than primary, primary and lower secondary education (ISCED 2011 levels 0-2)
- Intermediate: Upper secondary and post-secondary non-tertiary education (ISCED 2011 levels 3 and 4)
- Tertiary: Tertiary education (ISCED 2011 levels 5-8)

### Life expectancy at birth by level of educational attainment and sex, 2015

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	62.8	73.6	78.0	Mean number of years still to be lived from birth
Females	75.4	80.7	82.2	
<i>Source: Eurostat [demo_mlexpecedu]</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=demo_mlexpecedu&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=demo_mlexpecedu&amp;lang=en</a> Accessed 20 April 2017				

### Self reported health by level of educational attainment and income

The European Statistics of Income and Living Condition (EU-SILC) survey contains a small module on health, composed of three variables on health status and four variables on unmet needs for health care.

The variables on **health status** represent the so called Minimum European Health Module (MEHM), and measures three different concepts of health:

- Self-perceived health
- Chronic morbidity (people having a long-standing illness or health problem)
- Activity limitation – disability (self-perceived long-standing limitations in usual activities due to health problems)

In this report the first two health status concepts are used since these are the ones most likely to result from behaviours, rather than inherited disorders, accidents and the relationship between health status and the availability of aids to daily living that mitigate health conditions.

**Educational attainment level:** the level of education attainment of individuals is classified in EU SILC according to the International Standard Classification of Education (ISCED) version of 1997 and are grouped as follows:

- Pre-primary, primary and lower secondary education
- Upper secondary and post-secondary non-tertiary education
- First and second stage of tertiary education

**Income quintile group** is computed in EU SILC on the basis of the total equivalised disposable income attributed to each member of the household.

The data (of each person) are ordered according to the value of the total equivalised disposable income. Four cut-point values (the so-called quintile cut-off points) of income, dividing the survey population into five groups equally represented by 20 % of individuals each, are found:

- First quintile group of equivalised income
- Second quintile group of equivalised income
- Third quintile group of equivalised income
- Fourth quintile group of equivalised income
- Fifth quintile group of equivalised income.

The first quintile group represents 20 % of population with lowest income and the fifth quintile group 20 % of population with highest income.

### Age standardised percentage with good or very good self-perceived health by level of educational attainment and sex, 2016

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	51.42	62.41	74.47	Percent reporting good or very good health, standardised for age using the European Standard Population
Females	47.41	60.22	70.69	

Source: Eurostat [hlth\_silc\_02]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_silc\\_02&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_silc_02&lang=en)

Accessed 18 March 2018

Note: Age standardisation for males and females in Slovakia is based on ages 16 to 24, then ten-year age groups up age 74 and then 75 and over.

### Age standardised percentage with good or very good self-perceived health by income quintile and sex, 2016

	Income Quintiles					Definition
	First	Second	Third	Fourth	Fifth	
Males	57.42	59.53	62.15	65.03	72.51	Percent reporting good or very good health, standardised for age using the European Standard Population
Females	55.26	57.90	58.80	61.94	68.59	

Source: Eurostat [hlth\_silc\_10]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_silc\\_10&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_silc_10&lang=en)

Accessed 18 March 2018

Note: Age standardisation for males and females in Slovakia is based on ages 16 to 24, then ten-year age groups up age 74 and then 75 and over.

**Age standardised percentage reporting a long-standing illness or health problem by level of educational attainment and sex, 2016**

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	39.09	31.35	24.95	Percent reporting a long-standing illness or health problem, standardised for age using the European Standard Population
Females	45.65	33.64	27.12	

Source: Eurostat [hlth\_silc\_05]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_silc\\_05&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_silc_05&lang=en)

Accessed 18 March 2018

Note: Age standardisation for males and females in Slovakia is based on ages 16 to 24, then ten-year age groups up age 74 and then 75 and over.

**Age standardised percentage reporting a long-standing illness or health problem by income quintile and sex, 2016**

	Income quintiles					Definition
	First	Second	Third	Fourth	Fifth	
Males	34.93	34.94	32.60	28.28	24.70	Percent reporting a long-standing illness or health problem, standardised for age using the European Standard Population
Females	38.87	36.99	34.94	33.18	26.88	

Source: Eurostat [hlth\_silc\_11]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_silc\\_11&lang=eneing](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_silc_11&lang=eneing)

Accessed 18 March 2018

Note: Age standardisation for males and females in Slovakia is based on ages 16 to 24, then ten-year age groups up age 74 and then 75 and over.



### Age standardised percentage reporting that they have diabetes by level of educational attainment and sex, 2014

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	12.07	8.35	6.83	Percent reporting that they have diabetes, standardised for age using the European Standard Population
Females	10.77	7.41	3.67	

Source: Eurostat [hlth\_silc\_05]

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_ehis\\_cd1e&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_cd1e&lang=en)

Accessed 11 October 2018

Note: Age standardisation for males in Slovakia is based on age groups 15 to 44, 45 to 54, 55 to 64, 65 to 74 and 75 and over. Age standardisation for females is based on age groups 15 to 44, 45 to 54, 55 to 64 and 65 and over, due to the unavailability of finer age breakdowns at older ages for self reporting of diabetes among those with tertiary education.

## LIFECOURSE

### A) LIFECOURSE STAGE - A GOOD START IN LIFE

**Educational attainment level:** the education attainment levels of individuals are based on data collected in the European Health Interview Survey (EHIS) classified according to the International Standard Classification of Education (ISCED) 2011 and are grouped as above.

### Women overweight at ages 18-44 by level of educational attainment, 2014

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Pre-obese	17.7	19.6	14.6	Percent with a BMI of at least 25 but less than 30
Obese	6.8	7.0	4.0	Percent with a BMI of 30 or more

Source: Eurostat, [hlth\_ehis\_bm1e], European Health Interview Survey

[http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth\\_ehis\\_bm1e&lang=en](http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&lang=en)

Accessed 25 April 2017

## **B) LIFECOURSE STAGE - AGES 11 TO 15**

The Health Behaviour of School Age Children (HBSC) survey 2013/2014 is the principal source of information at ages 11 to 15. To derive their Family Affluence Scale (FAS) the survey used a six-item assessment of common material assets or activities as follows:

(1) summing the score on responses to the following six items:

- Does your family own a car, van or truck? (Responses: no, one, two or more);
- Do you have your own bedroom for yourself? (No, yes);
- How many times did you and your family travel out of [insert country/region name] for a holiday/vacation last year? (Not at all, once, twice, more than twice);
- How many computers do your family own? (None, one, two, more than two);
- Does your family have a dishwasher at home? (No, yes); and
- How many bathrooms (rooms with a bath/shower or both) are in your home? (None, one, two, more than two).

(2) comparing the individual's summary score from the FAS to all other scores in the respective country/region. This relative affluence score is then used to identify groups of young people in the lowest 20% (low affluence), middle 60% (medium affluence) and highest 20% (high affluence) in each country and region.

### **Percentage point difference in prevalence of drinking soft-drinks at least once a day between low and high family affluence groups at ages 11, 13 and 15, by sex, 2013/14**

	Percentage point difference	Definition
Boys	4	Difference in prevalence between those in the low and high affluence groups based on the Family Affluence Scale (FAS)
Girls	-10	

Source: HBSC 2016

[https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc\\_6-difference-in-drinking-soft-drinks-by-fas/](https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_6-difference-in-drinking-soft-drinks-by-fas/)

Accessed 14 March 2017

### **Percentage point difference in daily fruit consumption between low and high family affluence groups at ages 11, 13 and 15, by sex, 2013/14**

	Percentage point difference	Definition
Boys	11	Difference in prevalence between those in the low and high affluence groups based on the Family Affluence Scale (FAS)
Girls	16	

Source: HBSC 2016

[https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc\\_4-difference-in-eating-fruit-by-fas/](https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_4-difference-in-eating-fruit-by-fas/)

Accessed 14 March 2017

**Percentage point difference in prevalence of reporting at least one hour of moderate or vigorous physical activity daily, between low and high family affluence groups at ages 11, 13 and 15, by sex, 2013/14**

	Percentage point difference	Definition
Boys	10	Difference in prevalence between those in the low and high affluence groups based on the Family Affluence Scale (FAS)
Girls	10	
<i>Source: HBSC 2016</i> <a href="https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_12-difference-in-moderate-to-vigorous-physical-activity-by-fas/">https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_12-difference-in-moderate-to-vigorous-physical-activity-by-fas/</a> Accessed 14 March 2017		

**Percentage point difference in those overweight between low and high family affluence groups at ages 11, 13 and 15, by sex, 2013/14**

	Percentage point difference	Definition
Boys	0	Difference in prevalence between those in the low and high affluence groups based on the Family Affluence Scale (FAS)
Girls	-4	
<i>Source: HBSC 2016</i> <a href="https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_83-differences-in-bmi-by-fas/">https://gateway.euro.who.int/en/indicators/hbsc-indicators/hbsc_83-differences-in-bmi-by-fas/</a> Accessed 14 March 2017		

**Percentage point difference in weekly use of alcohol between low and high family affluence groups at ages 11, 13 and 15, by sex, 2013/14**

	Percentage point difference	Definition
Boys	2	Difference in prevalence between those in the low and high affluence groups based on the Family Affluence Scale (FAS)
Girls	-1	
<i>Source: HBSC 2016</i> <a href="https://gateway.euro.who.int/en/indicators/hbsc_88-differences-in-alcohol-consumption-by-fas/">https://gateway.euro.who.int/en/indicators/hbsc_88-differences-in-alcohol-consumption-by-fas/</a> Accessed 14 March 2017		

**C) LIFECOURSE STAGE - AGES 15 TO 24**

**ALCOHOL CONSUMPTION REPORTED AT AGES 15 AND 16**

The main purpose of the European School Survey Project on Alcohol and Other Drugs (ESPAD) project is to collect comparable data on substance use among 15 to 16 year- old students in as many European countries as possible. The target group consists of students who turn 16 during the year of data collection, which in 2011 meant students born in 1995. The surveys are conducted in schools in the participating country, during the same period of time and using a common methodology.

**Educational attainment level:** the level of education attainment of mothers is used here, grouped using the classification in ESPAD as follows:

*Lower*

Completed primary school or less  
Some secondary school

*Intermediate*

Completed secondary school

*Tertiary*

Some college or university  
Completed college or university

**Percentage of 15 and 16 year old students who drank alcohol in the last month by level of maternal educational attainment and sex, 2011**

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	65.8	61.4	60.7	Percent who had any alcohol beverage to drink during the last 30 days
Females	49.8	62.3	56.8	

Source: ESPAD  
<http://www.espad.org/>  
Extracted 13 April 2018

**Percentage of 15 and 16 year old students who had ever been drunk by level of maternal educational attainment and sex, 2011**

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	59.9	65.0	59.8	Percent who have been intoxicated from drinking alcoholic beverages, for example staggered when walking, not being able to speak properly, throwing up or not remembering what happened, in their lifetime
Females	61.8	63.1	62.0	

Source: ESPAD  
<http://www.espad.org/>  
Extracted 13 April 2018

**Percentage of 15 and 16 year old students who drank heavily on at least one occasion in the last month by level of maternal educational attainment and sex, 2011**

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	54.0	54.1	49.1	Percent who had five or more drinks on one occasion during the last 30 days
Females	47.2	48.9	42.3	
<i>Source: ESPAD</i> <a href="http://www.espad.org/">http://www.espad.org/</a> Extracted 13 April 2018				

**Percentage of 15 and 16 year old students who had ever been drunk at age 14 or less by level of maternal educational attainment and sex, 2011**

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	38.4	46.8	41.9	Percent who had first got drunk on alcohol when aged 14 years of age or less
Females	39.1	37.0	41.4	
<i>Source: ESPAD</i> <a href="http://www.espad.org/">http://www.espad.org/</a> Extracted 13 April 2018				

**Percentage of 15 and 16 year old students who drank alcohol at age 12 or earlier by level of maternal educational attainment and sex, 2011**

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	60.8	53.4	57.4	Percent who first drank at least one glass of alcoholic beverage when aged 12 years of age or less
Females	42.9	47.5	47.6	
<i>Source: ESPAD</i> <a href="http://www.espad.org/">http://www.espad.org/</a> Extracted 13 April 2018				

**DIET AND EXERCISE AT AGES 15 TO 24**

The European Health Interview Survey (EHIS) is the principal source of information at ages 15 and over. The survey consists of four modules on health status, health care use, health determinants and socio-economic background variables. EHIS targets the population aged at least 15 and living in private households.

**Educational attainment level:** the education attainment levels of individuals in EHIS are classified according to the International Standard Classification of Education (ISCED) 2011 and are grouped as follows:

- Lower: less than primary, primary and lower secondary education
- Intermediate: upper secondary and post-secondary non-tertiary
- Tertiary: Tertiary education

**Fruit consumption at least daily at ages 15 to 24 by level of educational attainment and sex, 2014**

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	46.8	33.2	39.2	Percent consuming fruit at least daily
Females	56.8	47.5	52.4	
<i>Source: Eurostat [hlth_ehis_fv1e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en</a> Accessed 26 April 2017				

**Vegetable consumption at least daily at ages 15 to 24 by level of educational attainment and sex, 2014**

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	41.2	31.5	46.0	Percent consuming vegetables at least daily
Females	44.2	48.0	50.4	
<i>Source: Eurostat [hlth_ehis_fv1e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en</a> Accessed 26 April 2017				

**Work and non-work related physical activity at ages 15 to 24 by level of educational attainment and sex, 2014**

	Educational attainment level			Definitions
	Lower	Inter-mediate	Tertiary	
<i>Non-work related physical activity</i>				
Males	66.6	63.2	74.4	Percent engaging in health-enhancing aerobic physical activity of 150 or more minutes per week outside work
Females	54.2	45.9	48.4	
<i>work-related physical activity</i>				
Males	28.9	45.4	32.6	Percent engaging in moderate or heavy physical activity in work.
Females	17.3	37.5	18.1	
<i>Source: Eurostat, [hlth_ehis_pe1e, hlth_ehis_pe2e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe1e&amp;lang=en</a> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe2e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe2e&amp;lang=en</a> Accessed 17 April 2017				

### Overweight at ages 15 to 24 by level of educational attainment and sex, 2014

	Educational attainment level			Definitions
	Lower	Inter- mediate	Tertiary	
<i>Pre-obese</i>				
Males	18.8	22.3	21.6	Percent with BMI that is equivalent to at least 25 but less than 30 at age 19
Females	6.0	11.5	12.6	
<i>Obese</i>				
Males	4.8	4.0	2.4	Percent with BMI that is equivalent to 30 or more at age 19
Females	1.0	2.0	0	
<i>Source: Eurostat, [hlth_ehis_bm1e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&amp;lang=en</a> Accessed 20 April 2017				

### D) LIFECOURSE STAGE - ADULT BEHAVIOUR

The European Health Interview Survey (EHIS) is the principal source of information at ages 15 and over. The survey consists of four modules on health status, health care use, health determinants and socio-economic background variables. EHIS targets the population aged at least 15 and living in private households.

**Educational attainment level:** the education attainment levels of individuals in EHIS are classified according to the International Standard Classification of Education (ISCED) 2011 and are grouped as follows:

- Lower: less than primary, primary and lower secondary education
- Intermediate: upper secondary and post-secondary non-tertiary
- Tertiary: Tertiary education

### Fruit consumption at least daily at ages 18 and over by level of educational attainment and sex, 2014

	Educational attainment level			Definition
	Lower	Inter- mediate	Tertiary	
Males	34.5	39.5	44.7	Percent consuming fruit at least daily
Females	44.5	54.0	60.2	
<i>Source: Eurostat [hlth_ehis_fv1e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en</a> Accessed 26 April 2017				

### Vegetable consumption at least daily at ages 18 and over by level of educational attainment and sex, 2014

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	31.2	37.0	42.5	Percent consuming vegetables at least daily
Females	40.4	50.7	55.2	
Source: Eurostat [hlth_ehis_fv1e], European Health Interview Survey <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_fv1e&amp;lang=en</a> Accessed 26 April 2017				

### Work and non-work related physical activity at ages 18 and over by level of educational attainment and sex, 2014

	Educational attainment level			Definitions
	Lower	Inter-mediate	Tertiary	
<i>Non-work related physical activity</i>				
Males	27.1	31.9	46.9	Percent engaging in health-enhancing aerobic physical activity of 150 or more minutes per week outside work
Females	11.9	21.5	34.4	
<i>Work-related physical activity</i>				
Males	53.1	61.6	33.6	Percent engaging in moderate or heavy physical activity in work.
Females	42.1	51.9	31.8	
Source: Eurostat, [hlth_ehis_pe1e, hlth_ehis_pe2e], European Health Interview Survey <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe1e&amp;lang=en</a> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe2e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_pe2e&amp;lang=en</a> Accessed 17 April 2017				

### Overweight at ages 18 and over by level of educational attainment and sex, 2014

	Educational attainment level			Definitions
	Lower	Inter-mediate	Tertiary	
<i>Pre-obese</i>				
Males	41.9	47.9	46.2	Percent with BMI at least 25 but less than 30 at age 19
Females	36.1	30.3	22.1	
<i>Obese</i>				
Males	14.6	18.3	8.2	Percent with a BMI of 30 or more
Females	26.3	16.9	8.3	
Source: Eurostat, [hlth_ehis_bm1e], European Health Interview Survey <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_bm1e&amp;lang=en</a> Accessed 21 February 2017				



**Daily alcohol consumption at ages 18 and over by level of educational attainment and sex, 2014**

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	7.6	6.3	3.7	Percent consuming alcohol at least daily
Females	0.7	0.9	0.5	
<i>Source: Eurostat [hlth_ehis_al1e], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_al1e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_al1e&amp;lang=en</a> Accessed 27 April 2017				

**Heavy episodic drinking at least monthly at ages 18 and over by level of educational attainment and sex, 2014**

	Educational attainment level			Definition
	Lower	Inter-mediate	Tertiary	
Males	23.2	23.7	14.1	Percent ingesting more than 60gm of pure ethanol on a single occasion at least once a month
Females	4.1	5.0	6.2	
<i>Source: Eurostat [hlth_ehis_al3], European Health Interview Survey</i> <a href="http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_al3e&amp;lang=en">http://appsso.eurostat.ec.europa.eu/nui/show.do?dataset=hlth_ehis_al3e&amp;lang=en</a> Accessed 26 July 2017				



**© European Union, 2018**

Reuse authorised.

The reuse policy of European Commission documents is regulated by Decision 2011/833/EU (OJ L 330, 14.12.2011, p. 39).

For reproduction or use of the artistic material contained therein and identified as being the property of a third-party copyright holder, permission must be sought directly from the copyright holder.

The information and views set out in this report are those of the author(s) UK Health Forum and do not necessarily reflect the official opinion of the Commission. The Commission does not guarantee the accuracy of the data included in this report. Neither the Commission nor any person acting on the Commission's behalf may be held responsible for the use which may be made of the information contained therein.

